

Chapter 1: Coping with Crisis

- ¹ Blagg CR. The early history of dialysis for chronic renal failure in the United States: a view from Seattle. *Am J Kidney Dis.* 2007 Mar;49(3):482-96
- ² Lok CE, Huber TS, Lee T, Shenoy S, Yevzlin AS, Abreo K, Allon M, Asif A, Astor BC, Glickman MH, Graham J, Moist LM, Rajan DK, Roberts C, Vachharajani TJ, Valentini RP; National Kidney Foundation. KDOQI Clinical Practice Guideline for Vascular Access: 2019 Update. *Am J Kidney Dis.* 2020 Apr;75(4 Suppl 2):S1-S164
- ³ Shirazian S, Grant CD, Aina O, Mattana J, Khorassani F, Ricardo AC. Depression in chronic kidney disease and end-stage renal disease: similarities and differences in diagnosis, epidemiology, and management. *Kidney Int Rep.* 2016 Sep 20;2(1):94-107
- ⁴ Rahimipour M, Shahgholian N, Yazdani M. Effect of hope therapy on depression, anxiety, and stress among the patients undergoing hemodialysis. *Iran J Nurs Midwifery Res.* 2015 Nov-Dec;20(6):694-699

Chapter 2: Become Your Own Expert

- ¹ <https://www.kidney.org/news/one-seven-american-adults-estimated-to-have-chronic-kidney-disease>. Accessed 6/22/2020
- ² United States Renal Data System. 2021USRDS Annual Data Report: Epidemiology of kidney disease in the United States. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Table D1
- ³ United States Renal Data System. 2021USRDS Annual Data Report: Epidemiology of kidney disease in the United States. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Table A1
- ⁴ Magadi W, Lightfoot CJ, Memory KE, Santhakumaran S, van der Veer SN, Thomas N, Gair R, Smith AC. Patient activation and its association with symptom burden and quality of life across the spectrum of chronic kidney disease stages in England. *BMC Nephrol.* 2022 Jan 26;23(1):45-55
- ⁵ Brito DCS, Machado EL, Reis IA, Cherchiglia ML. Impact of clinical, sociodemographic and quality of life factors on dialysis patient survival: a nine-year follow-up cohort study. *Cad Saude Publica.* 2020 Dec 18;36(12):e00007320

Chapter 3: What Healthy Kidneys Do for You

- ¹ Vanholder R, Pletinck A, Schepers E, Glorieux G. Biochemical and clinical impact of organic uremic retention solutes: a comprehensive update. *Toxins (Basel).* 2018 Jan 8;10(1):33

Chapter 4: When Kidneys Fail –Symptoms from the Loss of Balance

- ¹ Hughson M, Farris AB 3rd, Douglas-Denton R, Hoy WE, Bertram JF. Glomerular number and size in autopsy kidneys: the relationship to birth weight. *Kidney Int.* 2003 Jun;63(6):2113-22

- ² Kjellstrand CM, Evans RL, Petersen RJ, Shideman JR, Von Hartitzsch B, Buselmeier TJ. The "unphysiology" of dialysis: a major cause of dialysis side effects? *Hemodial Int.* 2004 Jan 1;8(1):24-9
- ³ Poon CK, Tang HL, Wong JH, Law WP, Lam CM, Yim KF, Cheuk A, Lee W, Chau KF, Tong MK, Fung SK. Effect of alternate night nocturnal home hemodialysis on anemia control in patients with end-stage renal disease. *Hemodial Int.* 2015 Apr;19(2):235-41
- ⁴ Han BG, Lee JY, Choi SO, Yang JW, Kim JS. Relative overhydration is independently associated with left ventricular hypertrophy in dialysis naïve patients with stage 5 chronic kidney disease. *Sci Rep.* 2020 Oct 2;10(1):15924
- ⁵ Hanna RM, Ghobry L, Wassef O, Rhee CM, Kalantar-Zadeh K. A practical approach to nutrition, protein-energy wasting, sarcopenia, and cachexia in patients with chronic kidney disease. *Blood Purif.* 2020;49(1-2):202-211
- ⁶ Combs SA, Teixeira JP, Germain MJ. Pruritus in kidney disease. *Semin Nephrol.* 2015 Jul;35(4):383-91
- ⁷ Keshari S, Wang Y, Herr DR, Wang SM, Yang WC, Chuang TH, Chen CL, Huang CM. Skin cutibacterium acnes mediates fermentation to suppress the calcium phosphate-induced itching: a butyric acid derivative with potential for uremic pruritus. *J Clin Med.* 2020 Jan 22;9(2):312
- ⁸ Yang XH, Zhang BL, Gu YH, Zhan XL, Guo LL, Jin HM. Association of sleep disorders, chronic pain, and fatigue with survival in patients with chronic kidney disease: a meta-analysis of clinical trials. *Sleep Med.* 2018 Nov;51:59-65
- ⁹ Hughes S, Szeki I, Nash MJ, Thachil J. Anticoagulation in chronic kidney disease patients—the practical aspects. *Clin Kidney J.* 2014 Oct;7(5):442-9
- ¹⁰ Ng CZ, Tang SC, Chan M, Tran BX, Ho CS, Tam WW, Ho RC. A systematic review and meta-analysis of randomized controlled trials of cognitive behavioral therapy for hemodialysis patients with depression. *J Psychosom Res.* 2019 Nov;126:109834
- ¹¹ Gerogianni G, Babatsikou F, Polikandrioti M, Grapsa E. Management of anxiety and depression in haemodialysis patients: the role of non-pharmacological methods. *Int Urol Nephrol.* 2019 Jan;51(1):113-118
- ¹² Stubbs B, Vancampfort D, Rosenbaum S, Firth J, Cosco T, Veronese N, Salum GA, Schuch FB. An examination of the anxiolytic effects of exercise for people with anxiety and stress-related disorders: a meta-analysis. *Psychiatry Res.* 2017 Mar;249:102-108
- ¹³ Gordon BR, McDowell CP, Lyons M, Herring MP. The effects of resistance exercise training on anxiety: a meta-analysis and meta-regression analysis of randomized controlled trials. *Sports Med.* 2017 Dec;47(12):2521-2532
- ¹⁴ Kang HJ, Nam ES, Lee Y, Kim M. How strong is the evidence for the anxiolytic efficacy of lavender?: systematic review and meta-analysis of randomized controlled trials. *Asian Nurs Res (Korean Soc Nurs Sci).* 2019 Dec;13(5):295-305
- ¹⁵ Donelli D, Antonelli M, Bellinazzi C, Gensini GF, Firenzuoli F. Effects of lavender on anxiety: a systematic review and meta-analysis. *Phytomedicine.* 2019 Dec;65:153099
- ¹⁶ Kim Y, Evangelista LS, Park YG. Anxiolytic effects of music interventions in patients receiving incenter hemodialysis: a systematic review and meta-analysis. *Nephrol Nurs J.* 2015 Jul-Aug;42(4):339-47; quiz 348

- 17 Li SYH, Bressington D. The effects of mindfulness-based stress reduction on depression, anxiety, and stress in older adults: a systematic review and meta-analysis. *Int J Ment Health Nurs*. 2019 Jun;28(3):635-656
- 18 Clond M. Emotional freedom techniques for anxiety: a systematic review with meta-analysis. *J Nerv Ment Dis*. 2016 May;204(5):388-95
- 19 Appart A, Lange AK, Sievert I, Bihain F, Tordeurs D. [Adjustment disorder and DSM-5: a review]. *Encephale*. 2017 Feb;43(1):41-46
- 20 Natale P, Palmer SC, Ruospo M, Saglimbene VM, Rabindranath KS, Strippoli GF. Psychosocial interventions for preventing and treating depression in dialysis patients. *Cochrane Database Syst Rev*. 2019 Dec 2;12(12):CD004542
- 21 Palmer SC, Natale P, Ruospo M, Saglimbene VM, Rabindranath KS, Craig JC, Strippoli GF. Antidepressants for treating depression in adults with end-stage kidney disease treated with dialysis. *Cochrane Database Syst Rev*. 2016 May 23;2016(5):CD004541
- 22 Cox DT, Shanahan DF, Hudson HL, Fuller RA, Anderson K, Hancock S, Gaston KJ. Doses of nearby nature simultaneously associated with multiple health benefits. *Int J Environ Res Public Health*. 2017 Feb 9;14(2):172
- 23 Soga M, Gaston KJ, Yamaura Y. Gardening is beneficial for health: a meta-analysis. *Prev Med Rep*. 2016 Nov 14;5:92-99
- 24 Li L, Wu C, Gan Y, Qu X, Lu Z. Insomnia and the risk of depression: a meta-analysis of prospective cohort studies. *BMC Psychiatry*. 2016 Nov 5;16(1):375
- 25 Huang R, Wang K, Hu J. Effect of probiotics on depression: a systematic review and meta-analysis of randomized controlled trials. *Nutrients*. 2016 Aug 6;8(8):483
- 26 Smogorzewski MJ. Skin blood flow and vascular endothelium function in uremia. *J Ren Nutr*. 2017 Nov;27(6):465-469
- 27 Rashpa RS, Mahajan VK, Kumar P, Mehta KS, Chauhan PS, Rawat R, Sharma V. Mucocutaneous manifestations in patients with chronic kidney disease: a cross-sectional study. *Indian Dermatol Online J*. 2018 Jan-Feb;9(1):20-26
- 28 Anees M, Butt G, Gull S, Nazeer A, Hussain I, Ibrahim M. Factors affecting dermatological manifestations in patients with end stage renal disease. *J Coll Physicians Surg Pak*. 2018 Feb;28(2):98-102
- 29 Blaha T, Nigwekar S, Combs S, Kaw U, Krishnappa V, Raina R. Dermatologic manifestations in end stage renal disease. *Hemodial Int*. 2019 Jan;23(1):3-18
- 30 Baran R, Mascaro JM, Aguilera P. Photoonycholysis: new findings. *J Eur Acad Dermatol Venereol*. 2019 Jan;33(1):56-62
- 31 Leyba K, Wagner B. Gadolinium-based contrast agents: why nephrologists need to be concerned. *Curr Opin Nephrol Hypertens*. 2019 Mar;28(2):154-162
- 32 Falk Delgado A, Van Westen D, Nilsson M, Knutsson L, Sundgren PC, Larsson EM, Falk Delgado A. Diagnostic value of alternative techniques to gadolinium-based contrast agents in MR neuroimaging-a comprehensive overview. *Insights Imaging*. 2019 Aug 23;10(1):84

Chapter 5: Kidney Transplant

- ¹ Davis S, Mohan S. Managing patients with failing kidney allograft: many questions remain. *Clin J Am Soc Nephrol*. 2022 Mar;17(3):444-451
- ² Jänigen BM, Hempel J, Holzner P, Schneider J, Fichtner-Feigl S, Thomusch O, Neeff H, Pisarski P, Glatz T. Simultaneous ipsilateral nephrectomy during kidney transplantation in autosomal dominant polycystic kidney disease: a matched pair analysis of 193 consecutive cases. *Langenbecks Arch Surg*. 2020 Sep;405(6):833-842
- ³ Abrol N, Bentall A, Torres VE, Prieto M. Simultaneous bilateral laparoscopic nephrectomy with kidney transplantation in patients with ESRD due to ADPKD: a single-center experience. *Am J Transplant*. 2021 Apr;21(4):1513-1524
- ⁴ Ahmad SB, Inouye B, Phelan MS, Kramer AC, Sulek J, Weir MR, Barth RN, LaMattina JC, Schweitzer EJ, Leeser DB, Niederhaus SV, Bartlett ST, Bromberg JS. Live donor renal transplant with simultaneous bilateral nephrectomy for autosomal dominant polycystic kidney disease is feasible and satisfactory at long-term follow-up. *Transplantation*. 2016 Feb;100(2):407-15
- ⁵ Jochmans I, Monbaliu D, Ceulemans LJ, Pirenne J, Fronckowiak J. Simultaneous liver kidney transplantation and (bilateral) nephrectomy through a midline is feasible and safe in polycystic disease. *PLoS One*. 2017 Mar 17;12(3):e0174123
- ⁶ The New Kidney Allocation System (KAS) Frequently asked questions. https://optn.transplant.hrsa.gov/media/1235/kas_faqs.pdf. Visited 3/22/2022
- ⁷ Elfle J. Distribution of blood types in the U.S. as of 2021. <https://www.statista.com/statistics/1112664/blood-type-distribution-us/>. Visited 1/25/2022
- ⁸ Lam S, Hultin S, Preston J, Campbell S. Temporal change in blood group after bone marrow transplant: a case of successful ABO-incompatible deceased donor transplant. *Case Rep Transplant*. 2020 Jul 24;2020:7461052
- ⁹ Kuppachi S, Axelrod DA. Desensitization strategies: is it worth it? *Transpl Int*. 2020 Mar;33(3):251-259
- ¹⁰ Israni AK, Salkowski N, Gustafson S, Snyder JJ, Friedewald JJ, Formica RN, Wang X, Shteyn E, Cherikh W, Stewart D, Samana CJ, Chung A, Hart A, Kasiske BL. New national allocation policy for deceased donor kidneys in the United States and possible effect on patient outcomes. *J Am Soc Nephrol*. 2014 Aug;25(8):1842-8
- ¹¹ Vinson AJ, Kiberd BA, Tennankore KK. Prolonged cold ischemia time offsets the benefit of human leukocyte antigen matching in deceased donor kidney transplant. *Transplant Proc*. 2020 Apr;52(3):807-814
- ¹² Kawai T, Sachs DH, Sprangers B, Spitzer TR, Saidman SL, Zorn E, Tolkoff-Rubin N, Preffer F, Crisalli K, Gao B, Wong W, Morris H, LoCascio SA, Sayre P, Shonts B, Williams WW Jr, Smith RN, Colvin RB, Sykes M, Cosimi AB. Long-term results in recipients of combined HLA-mismatched kidney and bone marrow transplantation without maintenance immunosuppression. *Am J Transplant*. 2014 Jul;14(7):1599-611
- ¹³ Malinis M, Boucher HW; AST Infectious Diseases Community of Practice. Screening of donor and candidate prior to solid organ transplantation—guidelines from the American

Society of Transplantation Infectious Diseases Community of Practice. *Clin Transplant*. 2019 Sep;33(9):e13548

- ¹⁴ United States Renal Data System. 2021 *USRDS Annual Data Report: Epidemiology of kidney disease in the United States*. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Table A1
- ¹⁵ Organ Procurement and Transplantation Network. U.S. Department of Health and Human Services. Donors Recovered in the U.S. by Donor Type, January 1, 1988 to December 31, 2020 <https://optn.transplant.hrsa.gov/data/view-data-reports/national-data/#>, accessed 7/29/2022
- ¹⁶ Noble J, Jouve T, Malvezzi P, Süsal C, Rostaing L. Transplantation of marginal organs: immunological aspects and therapeutic perspectives in kidney transplantation. *Front Immunol*. 2020 Jan 31;10:3142
- ¹⁷ Massie AB, Luo X, Chow EK, Alejo JL, Desai NM, Segev DL. Survival benefit of primary deceased donor transplantation with high-KDPI kidneys. *Am J Transplant*. 2014 Oct;14(10):2310-6
- ¹⁸ UC Davis Health Transplant Center. Expanded criteria donors (ECD). <https://health.ucdavis.edu/transplant/nonlivingdonors/expanded-criteria-donors.html>. Visited 5/19/2022
- ¹⁹ de Kok MJC, Schaapherder AFM, Alwayn IPJ, Bemelman FJ, van de Wetering J, van Zuilen AD, Christiaans MHL, Baas MC, Nurmohamed AS, Berger SP, Bastiaannet E, Ploeg RJ, de Vries APJ, Lindeman JHN. Improving outcomes for donation after circulatory death kidney transplantation: science of the times. *PLoS One*. 2020 Jul 29;15(7):e0236662
- ²⁰ Süsal C, Kumru G, Döhler B, Morath C, Baas M, Lutz J, Unterrainer C, Arns W, Aubert O, Bara C, Beiras-Fernandez A, Böhmig GA, Bösmüller C, Diekmann F, Dutkowski P, Hauser I, Legendre C, Lozanovski VJ, Mehrabi A, Melk A, Minor T, Mueller TF, Pisarski P, Rostaing L, Schemmer P, Schneeberger S, Schwenger V, Sommerer C, Tönshoff B, Viebahn R, Viklicky O, Weimer R, Weiss KH, Zeier M, Živčić-Ćosić S, Heemann U. Should kidney allografts from old donors be allocated only to old recipients? *Transpl Int*. 2020 Aug;33(8):849-857
- ²¹ Sise ME, Chute DF, Gustafson JL, Wojciechowski D, Elias N, Chung RT, Williams WW. Transplantation of hepatitis C virus infected kidneys into hepatitis C virus uninfected recipients. *Hemodial Int*. 2018 Apr;22 Suppl 1:S71-S80
- ²² Duerr M, Liefeldt L, Friedersdorff F, Choi M, Öllinger R, Hofmann J, Budde K, Schrezenmeier E, Halleck F. Pan-genotype pre-exposure prophylaxis (PrEP) allows transplantation of HCV-positive donor kidneys to negative transplant recipients. *J Clin Med*. 2020 Dec 29;10(1):89
- ²³ Wanis KN, Madenci AL, Dokus MK, Tomiyama K, Al-Judaibi BM, Hernán MA, Hernandez-Alejandro R. The effect of the opioid epidemic on donation after circulatory death transplantation outcomes. *Transplantation*. 2019 May;103(5):973-979
- ²⁴ Durand CM, Bowring MG, Thomas AG, Kucirka LM, Massie AB, Cameron A, Desai NM, Sulkowski M, Segev DL. The drug overdose epidemic and deceased-donor transplantation in the United States: a National Registry Study. *Ann Intern Med*. 2018 May 15;168(10):702-711

- ²⁵ Sawinski D, Wong T, Goral S. Current state of kidney transplantation in patients with HIV, hepatitis C, and hepatitis B infection. *Clin Transplant*. 2020 Oct;34(10):e14048
- ²⁶ Zheng X, Gong L, Xue W, Zeng S, Xu Y, Zhang Y, Hu X. Kidney transplant outcomes in HIV-positive patients: a systematic review and meta-analysis. *AIDS Res Ther*. 2019 Nov 20;16(1):37
- ²⁷ Trotter PB, Summers DM, Robb M, Hulme W, Ushiro-Lumb I, Watson CJE, Neuberger J, Bradley JA. Deceased organ donors with a history of increased risk behavior for the transmission of blood-borne viral infection: the UK experience. *Transplantation*. 2017 Jul;101(7):1679-1689
- ²⁸ Zhang H, Fu Q, Liu J, Li J, Deng R, Wu C, Nie W, Chen X, Liu L, Wang C. Risk factors and outcomes of prolonged recovery from delayed graft function after deceased kidney transplantation. *Ren Fail*. 2020 Nov;42(1):792-798
- ²⁹ Leite RRA, Schanaider A, da-Fonseca ER, Xavier VL, de-Miranda LCD. Machine perfusion versus cold storage in renal preservation of deceased donors with brain death: systematic review and meta-analysis. *Rev Col Bras Cir*. 2019 May 9;46(2):e2079
- ³⁰ Kovac D, Choe J, Liu E, Scheffert J, Hedvat J, Anamisis A, Salerno D, Lange N, Jennings DL. Immunosuppression considerations in simultaneous organ transplant. *Pharmacotherapy*. 2021 Jan;41(1):59-76
- ³¹ Westphal SG, Langewisch ED, Robinson AM, Wilk AR, Dong JJ, Plumb TJ, Mullane R, Merani S, Hoffman AL, Maskin A, Miles CD. The impact of multi-organ transplant allocation priority on waitlisted kidney transplant candidates. *Am J Transplant*. 2021 Jun;21(6):2161-2174
- ³² Alhamad T, Kunjal R, Wellen J, Brennan DC, Wiseman A, Ruano K, Hicks V, Wang M, Schnitzler MA, Chang SH, Lentine KL. Three-month pancreas graft function significantly influences survival following simultaneous pancreas-kidney transplantation in type 2 diabetes patients. *Am J Transplant*. 2020 Mar;20(3):788-796
- ³³ Abd ElHafeez S, Noordzij M, Kramer A, Bell S, Savoye E, Abad Diez JM, Lundgren T, Reisaeter AV, Kerschbaum J, Santiuste de Pablos C, Ortiz F, Collart F, Palsson R, Arici M, Heaf JG, Massy ZA, Jager KJ. The association of living donor source with patient and graft survival among kidney transplant recipients in the ERA-EDTA Registry – a retrospective study. *Transpl Int*. 2021 Jan;34(1):76-86
- ³⁴ United States Renal Data System. 2021 *USRDS Annual Data Report: Epidemiology of kidney disease in the United States*. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Table F6, F12.
- ³⁵ Treat E, Chow EKH, Peipert JD, Waterman A, Kwan L, Massie AB, Thomas AG, Bowring MG, Leiser D, Flechner S, Melcher ML, Kapur S, Segev DL, Veale J. Shipping living donor kidneys and transplant recipient outcomes. *Am J Transplant*. 2018 Mar;18(3):632-641
- ³⁶ Aufhauser DD Jr, Peng AW, Murken DR, Concors SJ, Abt PL, Sawinski D, Bloom RD, Reese PP, Levine MH. Impact of prolonged dialysis prior to renal transplantation. *Clin Transplant*. 2018 Jun;32(6):e13260
- ³⁷ Habbous S, McArthur E, Dixon SN, McKenzie S, Garcia-Ochoa C, Lam NN, Lentine KL, Dipchand C, Litchfield K, Begen MA, Sarma S, Garg AX. Initiating maintenance dialysis before living kidney donor transplantation when a donor candidate evaluation is well underway. *Transplantation*. 2018 Jul;102(7):e345-e353

- ³⁸ King KL, Husain SA, Jin Z, Brennan C, Mohan S. Trends in disparities in preemptive kidney transplantation in the United States. *Clin J Am Soc Nephrol*. 2019 Oct 7;14(10):1500-1511
- ³⁹ Müller HHO, Lücke C, Englbrecht M, Wiesener MS, Siller T, Eckardt KU, Kornhuber J, Maler JM. Kidney-transplant patients receiving living- or dead-donor organs have similar psychological outcomes (findings from the *PI-KT* study). *Ment Illn*. 2020;12(1):17-22
- ⁴⁰ About Help Hope Live. <https://helphopelive.org/about/our-advantage/> Visited 2/16/2021.
- ⁴¹ Li C, Jin H, Xiao L, Li Z, Cai M, Shi B. Association between overweight and renal transplant outcomes: a meta-analysis. *Exp Clin Transplant*. 2017 Oct;15(5):527-531
- ⁴² Sood A, Hakim DN, Hakim NS. Consequences of recipient obesity on postoperative outcomes in a renal transplant: a systematic review and meta-analysis. *Exp Clin Transplant*. 2016 Apr;14(2):121-8
- ⁴³ Orandi BJ, Purvis JW, Cannon RM, Smith AB, Lewis CE, Terrault NA, Locke JE. Bariatric surgery to achieve transplant in end-stage organ disease patients: a systematic review and meta-analysis. *Am J Surg*. 2020 Sep;220(3):566-579
- ⁴⁴ Sheetz KH, Gerhardinger L, Dimick JB, Waits SA. Bariatric surgery and long-term survival in patients with obesity and end-stage kidney disease. *JAMA Surg*. 2020 Jul 1;155(7):581-588
- ⁴⁵ Guggino J, Coumes S, Wion N, Reche F, Arvieux C, Borel AL. Effectiveness and safety of bariatric surgery in patients with end-stage chronic kidney disease or kidney transplant. *Obesity (Silver Spring)*. 2020 Dec;28(12):2290-2304
- ⁴⁶ Centers for Medicare & Medicaid Services. <https://www.cms.gov/newsroom/fact-sheets/calendar-year-cy-2023-medicare-physician-fee-schedule-final-rule>. Visited 5/2/2023.
- ⁴⁷ Lentine KL, Costa SP, Weir MR, Robb JF, Fleisher LA, Kasiske BL, Carithers RL, Ragosta M, Bolton K, Auerbach AD, Eagle KA; American Heart Association Council on the Kidney in Cardiovascular Disease and Council on Peripheral Vascular Disease. Cardiac disease evaluation and management among kidney and liver transplantation candidates: a scientific statement from the American Heart Association and the American College of Cardiology Foundation. *J Am Coll Cardiol*. 2012 Jul 31;60(5):434-80
- ⁴⁸ UNOS. What is life like after living donor transplant? <https://transplantliving.org/kidney/what-is-life-like-after-transplant/> Visited 2/18/2021
- ⁴⁹ Nielsen C, Clemensen J, Bistrup C, Agerskov H. Balancing everyday life—patients' experiences before, during and four months after kidney transplantation. *Nurs Open*. 2018 Dec 9;6(2):443-452
- ⁵⁰ Kristensen IV, Birkelund R, Henriksen J, Norlyk A. Living in limbo while one's identity is changing: patients' existential experiences 6 months after a kidney transplantation with a living donor. *J Adv Nurs*. 2021 Mar;77(3):1403-1410
- ⁵¹ Song TR, Jiang YM, Liu JP, Wang ZL, Zeng J, Huang ZL, Fan Y, Wang XD, Lin T. Steroid withdrawal or avoidance is safe in high-risk kidney transplants: a systematic review and meta-analysis. *Kaohsiung J Med Sci*. 2019 Jun;35(6):350-357
- ⁵² Rxlist.com. <https://www.rxlist.com/prednisone-drug.htm>. Visited 8/4/2022.
- ⁵³ Ponticelli C, Glassock RJ. Prevention of complications from use of conventional immunosuppressants: a critical review. *J Nephrol*. 2019 Dec;32(6):851-870

- ⁵⁴ Farouk SS, Rein JL. The many faces of calcineurin inhibitor toxicity – what the FK? *Adv Chronic Kidney Dis*. 2020 Jan;27(1):56-66
- ⁵⁵ Saengram W, Vadcharavivad S, Poolsup N, Chanchaoenthana W. Extended release versus immediate release tacrolimus in kidney transplant recipients: a systematic review and meta-analysis. *Eur J Clin Pharmacol*. 2018 Oct;74(10):1249-1260
- ⁵⁶ Rxlist.com. https://www.rxlist.com/consumer_cyclosporine_gengraf_neoral_sandimmune/drugs-condition.htm. Visited 8/4/2022.
- ⁵⁷ Rxlist.com. https://www.rxlist.com/consumer_prograf_astagraf_envarsus_xr_tacrolimus/drugs-condition.htm. Visited 8/4/2022.
- ⁵⁸ van Gelder T, Hesselink DA. Mycophenolate revisited. *Transpl Int*. 2015 May;28(5):508-15
- ⁵⁹ Rennie TJW, Petrie M, Metcalfe W, Walbaum D, Joss N, Barton E, Marson L, Clancy MJ, Henderson L, Traynor JP, Geddes CG, Phelan PJ. The impact of age on patient tolerance of mycophenolate following kidney transplantation. *Nephrology (Carlton)*. 2020 Jul;25(7):566-574
- ⁶⁰ Rxlist.com. https://www.rxlist.com/consumer_mycophenolate_cellcept_myfortic/drugs-condition.htm. Visited 8/11/2022.
- ⁶¹ Rxlist.com. <https://www.rxlist.com/imuran-drug.htm#warnings>. Visited 8/11/2022.
- ⁶² Ventura-Aguiar P, Campistol JM, Diekmann F. Safety of mTOR inhibitors in adult solid organ transplantation. *Expert Opin Drug Saf*. 2016;15(3):303-19
- ⁶³ RxList.com. https://www.rxlist.com/zortress-drug.htm#side_effects. Visited 8/12/22.
- ⁶⁴ RxList.com. <https://www.rxlist.com/rapamune-side-effects-drug-center.htm>. Visited 8/12/22.
- ⁶⁵ Pham PT, Sarkar M, Pham PM, Pham PC. Diabetes mellitus after solid organ transplantation. [Updated 2022 Jul 13]. In: Feingold KR, Anawalt B, Boyce A, et al., editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK378977/>. Visited 7/29/2022
- ⁶⁶ Raval AD, Kistler K, Tang Y, Murata Y, Snyderman DR. Antiviral treatment approaches for cytomegalovirus prevention in kidney transplant recipients: a systematic review of randomized controlled trials. *Transplant Rev (Orlando)*. 2021 Jan;35(1):100587
- ⁶⁷ Medeiros E, Merhi B. Malignancy after renal transplantation: a review. *R I Med J*. (2013) 2021 Feb 1;104(1):25-30.
- ⁶⁸ Blosser CD, Haber G, Engels EA. Changes in cancer incidence and outcomes among kidney transplant recipients in the United States over a thirty-year period. *Kidney Int*. 2021 Jun;99(6):1430-1438
- ⁶⁹ Frölich FA, Halleck F, Lehner L, Schrezenmeier EV, Naik M, Schmidt D, Khadzhynov D, Kast K, Budde K, Staack O. De-novo malignancies after kidney transplantation: a long-term observational study. *PLoS One*. 2020 Nov 30;15(11):e0242805
- ⁷⁰ Stengel B. Chronic kidney disease and cancer: a troubling connection. *J Nephrol*. 2010 May-Jun;23(3):253-262
- ⁷¹ Yamamoto I, Yamakawa T, Katsuma A, Kawabe M, Katsumata H, Hamada AM, Nakada Y, Kobayashi A, Yamamoto H, Yokoo T. Recurrence of native kidney disease after kidney transplantation. *Nephrology (Carlton)*. 2018 Jul;23 Suppl 2:27-30

- ⁷² Jiang SH, Kennard AL, Walters GD. Recurrent glomerulonephritis following renal transplantation and impact on graft survival. *BMC Nephrol*. 2018 Dec 3;19(1):344-355
- ⁷³ Letachowicz K, Bardowska K, Królicki T, Kamińska D, Banasik M, Zajdel K, Mazanowska O, Madziarska K, Janczak D, Krajewska M. The impact of location and patency of the arteriovenous fistula on quality of life of kidney transplant recipients. *Ren Fail*. 2021 Dec;43(1):113-122
- ⁷⁴ Zheng H, Bu S, Song Y, Wang M, Wu J, Chen J. To ligate or not to ligate: a meta-analysis of cardiac effects and allograft function following arteriovenous fistula closure in renal transplant recipients. *Ann Vasc Surg*. 2020 Feb;63:287-292
- ⁷⁵ Peluso G, Incolligno P, Carlomagno N, D'Assessandro V, Tammaro V, Caggiano M, Sandoval Sotelo ML, Rupealta N, Candida M, Mazzoni G, Campanile S, Chiacchio G, Scotti A, Santangelo ML. Our timing to remove peritoneal catheter dialysis after kidney transplant. *Transplant Proc*. 2019 Jan-Feb;51(1):160-163
- ⁷⁶ Kwong JCC, Krocak T, D'A Honey JR, Stewart RJ, Pace KT, Ordon M, Lee JY. Peritoneal dialysis catheter removal at the time of renal transplantation: choosing the optimal candidate. *Can Urol Assoc J*. 2020 Jan;14(1):E13-E19
- ⁷⁷ Jones J, Damery S, Allen K, Nicholas J, Baharani J, Combes G. 'You have got a foreign body in there': renal transplantation, unexpected mild-to-moderate distress and patients' support needs: a qualitative study. *BMJ Open*. 2020 Mar 31;10(3):e035627
- ⁷⁸ Gill P, Lowes L. Renal transplant failure and disenfranchised grief: participants' experiences in the first year post-graft failure—a qualitative longitudinal study. *Int J Nurs Stud*. 2014 Sep;51(9):1271-80
- ⁷⁹ Rao PS, Nunes JW. Renal transplant failure has a devastating impact requiring greater recognition and support. *Evid Based Nurs*. 2015 Jul;18(3):78

Chapter 6: Living Kidney Donation

- ¹ Beier K, Wöhlke S. An ethical comparison of living kidney donation and surrogacy: understanding the relational dimension. *Philos Ethics Humanit Med*. 2019 Sep 18;14(1):13
- ² Reese PP, Boudville N, Garg AX. Living kidney donation: outcomes, ethics, and uncertainty. *Lancet*. 2015 May 16;385(9981):2003-13
- ³ Lentine KL, Lam NN, Axelrod D, Schnitzler MA, Garg AX, Xiao H, Dzebisashvili N, Schold JD, Brennan DC, Randall H, King EA, Segev DL. Perioperative complications after living kidney donation: a national study. *Am J Transplant*. 2016 Jun;16(6):1848-57
- ⁴ Haberal M, Ayvazoglu Soy EH, Akdur A, Alshalabi O, Yildirim S, Moray G, Torgay A. The new anterior less invasive crescentic incision for living donor nephrectomy. *Exp Clin Transplant*. 2020 Oct;18(5):543-548
- ⁵ Kiberd BA, Tennankore KK. Lifetime risks of kidney donation: a medical decision analysis. *BMJ Open*. 2017 Sep 1;7(8):e016490
- ⁶ Ruck JM, Van Pilsum Rasmussen SE, Henderson ML, Massie AB, Segev DL. Interviews of living kidney donors to assess donation-related concerns and information-gathering practices. *BMC Nephrol*. 2018 Jun 8;19(1):130

- ⁷ Pinar U, Pettenati C, Hurel S, Pietak M, Dariane C, Audenet F, Legendre C, Rozenberg A, Méjean A, Timsit MO. Persistent orchialgia after laparoscopic living-donor nephrectomy: an underestimated complication requiring information adjustment. *World J Urol.* 2021 Feb;39(2):621-627
- ⁸ Holscher CM, Bae S, Thomas AG, Henderson ML, Haugen CE, DiBrito SR, Muzaale AD, Garonzik Wang JM, Massie AB, Lentine KL, Segev DL. Early hypertension and diabetes after living kidney donation: a National Cohort Study. *Transplantation.* 2019 Jun;103(6):1216-1223
- ⁹ Tantisattamo E, Dafoe DC, Reddy UG, Ichii H, Rhee CM, Streja E, Landman J, Kalantar-Zadeh K. Current management of patients with acquired solitary kidney. *Kidney Int Rep.* 2019 Jul 11;4(9):1205-1218
- ¹⁰ O’Keeffe LM, Ramond A, Oliver-Williams C, Willeit P, Paige E, Trotter P, Evans J, Wadström J, Nicholson M, Collett D, Di Angelantonio E. Mid- and long-term health risks in living kidney donors: a systematic review and meta-analysis. *Ann Intern Med.* 2018 Feb 20;168(4):276-284
- ¹¹ Muzaale AD, Massie AB, Al Ammary F, Henderson ML, Purnell TS, Holscher CM, Garonzik-Wang J, Locke JE, Snyder JJ, Lentine KL, Segev DL. Donor-recipient relationship and risk of ESKD in live kidney donors of varied racial groups. *Am J Kidney Dis.* 2020 Mar;75(3):333-341
- ¹² Mohan S, Iltis AS, Sawinski D, DuBois JM. APOL1 genetic testing in living kidney transplant donors. *Am J Kidney Dis.* 2019 Oct;74(4):538-543
- ¹³ Plage H, Pielka P, Liefeldt L, Budde K, Ebbing J, Sugünes N, Miller K, Cash H, Bichmann A, Sattler A, Kotsch K, Friedersdorff F. Extended criteria donors in living kidney transplantation including donor age, smoking, hypertension and BMI. *Ther Clin Risk Manag.* 2020 Aug 24;16:787-793
- ¹⁴ Organ Procurement and Transplantation Network (OPTN) Policies. Effective date 12/6/2020. https://optn.transplant.hrsa.gov/media/1200/optn_policies.pdf. Visited 2/4/2021
- ¹⁵ Wainright JL, Klassen DK, Kucheryavaya AY, Stewart DE. Delays in prior living kidney donors receiving priority on the transplant waiting list. *Clin J Am Soc Nephrol.* 2016 Nov 7;11(11):2047-2052
- ¹⁶ Potluri V, Harhay MN, Wilson FP, Bloom RD, Reese PP. Kidney transplant outcomes for prior living organ donors. *J Am Soc Nephrol.* 2015 May;26(5):1188-94
- ¹⁷ Garg AX, Nevis IF, McArthur E, Sontrop JM, Koval JJ, Lam NN, Hildebrand AM, Reese PP, Storsley L, Gill JS, Segev DL, Habbous S, Bugeja A, Knoll GA, Dipchand C, Monroy-Cuadros M, Lentine KL; DONOR Network. Gestational hypertension and preeclampsia in living kidney donors. *N Engl J Med.* 2015 Jan 8;372(2):124-33
- ¹⁸ Kitchlu A, McArthur E, Amir E, Booth CM, Sutradhar R, Majeed H, Nash DM, Silver SA, Garg AX, Chan CT, Kim SJ, Wald R. Acute kidney injury in patients receiving systemic treatment for cancer: a population-based cohort study. *J Natl Cancer Inst.* 2019 Jul 1;111(7):727-736
- ¹⁹ Sprangers B, Sandhu G, Rosner MH, Tesarova P, Stadler WM, Malyszko J. Drug dosing in cancer patients with decreased kidney function: a practical approach. *Cancer Treat Rev.* 2021 Feb;93:102139

- ²⁰ Wirken L, van Middendorp H, Hooghof CW, Rovers MM, Hoitsma AJ, Hilbrands LB, Evers AW. The course and predictors of health-related quality of life in living kidney donors: a systematic review and meta-analysis. *Am J Transplant*. 2015 Dec;15(12):3041-54
- ²¹ Thiessen C, Gannon J, Li S, Skrip L, Dobosz D, Gan G, Deng Y, Kennedy K, Gray D, Mussell A, Reese PP, Gordon EJ, Kulkarni S. Quantifying risk tolerance among potential living kidney donors with the Donor-Specific Risk Questionnaire. *Am J Kidney Dis*. 2021 Aug;78(2):246-258
- ²² Menjivar A, Torres X, Manyalich M, Fehrman-Ekholm I, Papachristou C, de Sousa-Amorim E, Paredes D, Hiesse C, Yucetin L, Oppenheimer F, Kondi E, Peri JM, Kvarnström N, Ballesté C, Dias L, Frade IC, Lopes A, Diekmann F, Revuelta I. Psychosocial risk factors for impaired health-related quality of life in living kidney donors: results from the ELIPSY prospective study. *Sci Rep*. 2020 Dec 7;10(1):21343
- ²³ Le N, Moore LW, Fong JVN, Doan T, Mitch WE, Workeneh B, Moore CE. Healthy eating index of living donor renal transplantation recipients during the first year posttransplant. *Prog Transplant*. 2020 Sep;30(3):271-277
- ²⁴ Ummel D, Achille M, Mekkelholt J. Donors and recipients of living kidney donation: a qualitative metasummary of their experiences. *J Transplant*. 2011;2011:626501
- ²⁵ Larson DB, Wiseman JF, Vock DM, Berglund DM, Roman AM, Ibrahim HN, Matas AJ. Financial burden associated with time to return to work after living kidney donation. *Am J Transplant*. 2019 Jan;19(1):204-207
- ²⁶ Fu R, Sekercioglu N, Hishida M, Coyte PC. Economic consequences of adult living kidney donation: a systematic review. *Value Health*. 2021 Apr;24(4):592-601
- ²⁷ Lenihan CR, Tan JC. The consequences of chronic kidney disease mislabeling in living kidney donors. *Mayo Clin Proc*. 2014 Aug;89(8):1126-9
- ²⁸ U.S. Department of Health & Human Services. Can I get coverage if I have a pre-existing condition? <https://www.hhs.gov/answers/affordable-care-act/can-i-get-coverage-if-i-have-a-pre-existing-condition/index.html>. Visited 2/4/2021
- ²⁹ Hoda MR, Hamza A, Wagner S, Greco F, Fornara P. Impact of hand-assisted laparoscopic living donor nephrectomy on donor's quality of life, emotional, and social state. *Transplant Proc*. 2010 Jun;42(5):1487-91

Chapter 7: How Dialysis Works

- ¹ Signorelli F, Sela S, Gesualdo L, Chevrel S, Tollet F, Paillet-Mattei C, Tacconi L, Turjman F, Vacca A, Schul DB. Hemodynamic stress, inflammation, and intracranial aneurysm development and rupture: a systematic review. *World Neurosurg*. 2018 Jul;115:234-244
- ² Benz K, Hilgers KF, Daniel C, Amann K. Vascular calcification in chronic kidney disease: the role of inflammation. *Int J Nephrol*. 2018 Aug 13;2018:4310379
- ³ Ueda N, Takasawa K. Impact of inflammation on ferritin, hepcidin and the management of iron deficiency anemia in chronic kidney disease. *Nutrients*. 2018 Aug 27;10(9):1173

- ⁴ Gilhotra RA, Rodrigues BT, Vangaveti VN, Malabu UH. Prevalence and risk factors of lower limb amputation in patients with end-stage renal failure on dialysis: a systematic review. *Int J Nephrol*. 2016;2016:4870749
- ⁵ Ma L, Zhao S. Risk factors for mortality in patients undergoing hemodialysis: a systematic review and meta-analysis. *Int J Cardiol*. 2017 Jul 1;238:151-158
- ⁶ Khor BH, Narayanan SS, Sahathevan S, Gafor AHA, Daud ZAM, Khosla P, Sabatino A, Fiaccadori E, Chinna K, Karupaiah T. Efficacy of nutritional interventions on inflammatory markers in haemodialysis patients: a systematic review and limited meta-analysis. *Nutrients*. 2018 Mar 23;10(4):397
- ⁷ Wu PK, Yeh SC, Li SJ, Kang YN. Efficacy of polyunsaturated fatty acids on inflammatory markers in patients undergoing dialysis: a systematic review with network meta-analysis of randomized clinical trials. *Int J Mol Sci*. 2019 Jul 25;20(15):3645
- ⁸ Deng J, Wu Q, Liao Y, Huo D, Yang Z. Effect of statins on chronic inflammation and nutrition status in renal dialysis patients: a systematic review and meta-analysis. *Nephrology (Carlton)*. 2012 Aug;17(6):545-51
- ⁹ March DS, Jones AW, Bishop NC, Burton JO. The efficacy of prebiotic, probiotic, and synbiotic supplementation in modulating gut-derived circulatory particles associated with cardiovascular disease in individuals receiving dialysis: a systematic review and meta-analysis of randomized controlled trials. *J Ren Nutr*. 2020 Jul;30(4):347-359
- ¹⁰ Thongprayoon C, Kaewput W, Hatch ST, Bathini T, Sharma K, Wijarnpreecha K, Ungprasert P, D'Costa M, Mao MA, Cheungpasitporn W. Effects of probiotics on inflammation and uremic toxins among patients on dialysis: a systematic review and meta-analysis. *Dig Dis Sci*. 2019 Feb;64(2):469-479
- ¹¹ Pisano A, D'Arrigo G, Coppolino G, Bolignano D. Biotic supplements for renal patients: a systematic review and meta-analysis. *Nutrients*. 2018 Sep 4;10(9):1224
- ¹² Barati Boldaji R, Akhlaghi M, Sagheb MM, Esmaeilinezhad Z. Pomegranate juice improves cardiometabolic risk factors, biomarkers of oxidative stress and inflammation in hemodialysis patients: a randomized crossover trial. *J Sci Food Agric*. 2020 Jan 30;100(2):846-854
- ¹³ Kohlova M, Amorim CG, Araujo A, Santos-Silva A, Solich P, Conceicao M, Montenegro BSM. The biocompatibility and bioactivity of hemodialysis membranes: their impact in end-stage renal disease. *J Artif Organ*. 2019 Mar;22(1):14-28
- ¹⁴ Wang IK, Li YF, Chen JH, Liang CC, Liu YL, Lin HH, Chang CT, Tsai WC, Yen TH, Huang CC. Icodextrin decreases technique failure and improves patient survival in peritoneal dialysis patients. *Nephrology (Carlton)*. 2015 Mar;20(3):161-7
- ¹⁵ Upadhyay A, Jaber BL. We use impure water to make dialysate for hemodialysis. *Semin Dial*. 2016 Jul;29(4):297-9
- ¹⁶ Upadhyay A, Susantitaphong P, Jaber BL. Ultrapure versus standard dialysate: a cost-benefit analysis. *Semin Dial*. 2017 Sep;30(5):398-402
- ¹⁷ Weiner DE, Falzon L, Skoufos L, Bernardo A, Beck W, Xiao M, Tran H. Efficacy and safety of expanded hemodialysis with the TheraNova 400 dialyzer: A randomized controlled trial. *Clin J Am Soc Nephrol*. 2020 Sep 7;15(9):1310-1319

Chapter 8: All About Peritoneal Dialysis (PD)

- ¹ Bartosova M, Schmitt CP. Biocompatible peritoneal dialysis: the target is still way off. *Front Physiol.* 2019 Jan 7;9:1853
- ² United States Renal Data System. 2021 USRDS Annual Data Report: Epidemiology of kidney disease in the United States. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Figure 2.7
- ³ Hung KY, Liu SY, Yang TC, Liao TL, Kao SH. High-dialysate-glucose-induced oxidative stress and mitochondrial-mediated apoptosis in human peritoneal mesothelial cells. *Oxid Med Cell Longev.* 2014;2014:642793
- ⁴ Simon F, Tapia P, Armisen R, Echeverria C, Gatica S, Vallejos A, Pacheco A, Sanhueza ME, Alvo M, Segovia E, Torres R. Human peritoneal mesothelial cell death induced by high-glucose hypertonic solution involves Ca^{2+} and Na^{+} ions and oxidative stress with the participation of PKC/NOX2 and P13K/Akt pathways. *Front Physiol.* 2017 Jun 13;8:379
- ⁵ Roumeliotis S, Dounousi E, Salmas M, Eleftheriadis T, Liakopoulos V. Unfavorable effects of peritoneal dialysis solutions on the peritoneal membrane: the role of oxidative stress. *Biomolecules.* 2020 May 14;10(5):768
- ⁶ Wang AY, Zhao J, Bieber B, Kanjanabuch T, Wilkie M, Marshall MR, Kawanishi H, Perl J, Davies S, and PDOPPS Dialysis Prescription and Fluid Management Working Group. International comparison of peritoneal dialysis prescriptions from the Peritoneal Dialysis Outcomes and Practice Patterns Study (PDOPPS). *Perit Dial Int.* 2020 May;40(3):310-319
- ⁷ Xieyi G, Xiaohong T, Xiaofang W, Zi L. Urgent-start peritoneal dialysis in chronic kidney disease patients: a systematic review and meta-analysis compared with planned peritoneal dialysis and with urgent-start hemodialysis. *Perit Dial Int.* 2021 Mar;41(2):179-193
- ⁸ Zang XJ, Yang B, Du X, Mei CL. Urgent-start peritoneal dialysis and patient outcomes: a systematic review and meta-analysis. *Eur Rev Med Pharmacol Sci.* 2019 Mar;23(5):2158-2166
- ⁹ Dias DB, Mendes ML, Alves CA, Caramori JT, Ponce D. Peritoneal dialysis as an urgent-start option for incident patients on chronic renal replacement therapy: world experience and review of literature. *Blood Purif.* 2020;49(6):652-657
- ¹⁰ Li T, Wilcox CS, Lipkowitz MS, Gordon-Cappitelli J, Dragoi S. Rationale and strategies for preserving residual kidney function in dialysis patients. *Am J Nephrol.* 2019;50(6):411-421
- ¹¹ Masiá-Mondejar J, Centellas-Pérez FJ. The importance of residual renal function in peritoneal dialysis. *Am J Biomed Sci & Res.* 2019, 1(3)
- ¹² Ahbap E, Sevinç M. Does residual renal function have a beneficial effect on patient and technique survival in peritoneal dialysis patients? *Sisli Etfal Hastan Tip Bul.* 2018 Sep 28;52(3):184-189
- ¹³ Jansen MA, Hart AA, Korevaar JC, Dekker FW, Boeschoten EW, Krediet RT. Predictors of the rate of decline of residual renal function in incident dialysis patients. *Kidney Int.* 2002 Sep;62(3):1046-53
- ¹⁴ Moist LM, Port FK, Orzol SM, Young EW, Ostbye T, Wolfe RA, Hulbert-Shearon T, Jones CA, Bloembergen WE. Predictors of loss of residual renal function among new dialysis patients. *J Am Soc Nephrol.* 2000 Mar;11(3):556-564.

- ¹⁵ Szeto CC, Kwan BC, Chow KM, Chung S, Yu V, Cheng PM, Law MC, Li PK. Predictors of residual renal function decline in patients undergoing continuous ambulatory peritoneal dialysis. *Perit Dial Int*. 2015 Mar-Apr;35(2):180-8
- ¹⁶ Liu XY, Gao XM, Zhang N, Chen R, Wu F, Tao XC, Li CJ, Zhang P, Yu P. Oral bicarbonate slows decline of residual renal function in peritoneal dialysis patients. *Kidney Blood Press Res*. 2017;42(3):565-574
- ¹⁷ Bargman JM. Tailoring automated PD to your life. <https://homedialysis.org/life-at-home/articles/tailoring-automated-pd-to-your-life>. Accessed 1/26/2022
- ¹⁸ Akonur A, Firanek CA, Gellens ME, Hutchcraft AM, Kathuria P, Sloand JA. Volume-based peritoneal dialysis prescription guide to achieve adequacy targets. *Perit Dial Int*. 2016 Mar-Apr;36(2):188-95
- ¹⁹ Baxter product catalog. <https://ecatalog.baxter.com/ecatalog/loadproduct.html?cid=20016&lid=10001&hid=20001&pid=821981> Accessed 9/17/2020
- ²⁰ Fresenius products. <https://fmcna.com/products/home-dialysis-equipment/stay-safe-overview/> Accessed 9/17/2020
- ²¹ Bentley ML. Keep it simple! A touch technique peritoneal dialysis procedure for the blind and visually impaired. *CANN T J*. 2001 Apr-Jun;11(2):32-4
- ²² Kushner A. Adaptation of the Fresenius PD+ cyclor for a hearing-impaired patient. *Adv Perit Dial*. 2000;16:163-4
- ²³ Segall L, Nistor I, Van Biesen W, Brown EA, Heaf JG, Lindley E, Farrington K, Covic A. Dialysis modality choice in elderly patients with end-stage renal disease: a narrative review of the available evidence. *Nephrol Dial Transplant*. 2017 Jan 1;32(1):41-49
- ²⁴ Lee MB, Bargman JM. Myths in peritoneal dialysis. *Curr Opin Nephrol Hypertens*. 2016 Nov; 25(6):602-608
- ²⁵ Obi Y, Streja E, Mehrotra R, Rivara MB, Rhee CM, Soohoo M, Gillen DL, Lau WL, Kovesdy CP, Kalantar-Zadeh K. Impact of obesity on modality longevity, residual kidney function, peritonitis, and survival among incident peritoneal dialysis patients. *Am J Kidney Dis*. 2018 Jun;71(6):802-813
- ²⁶ Horvath P, Königsrainer A, Mühlbacher T, Thiel K, Thiel C. Hernia repair and simultaneous continuous ambulatory peritoneal dialysis (CAPD) catheter implantation: feasibility and outcome. *Hernia*. 2020 Aug;24(4):867-872
- ²⁷ Dupont V, Kanagaratnam L, Sigogne M, Bechade C, Lobbedez T, Portoles J, Rieu P, Drame M, Touré F. Outcome of polycystic kidney disease patients on peritoneal dialysis: systematic review of literature and meta-analysis. *PLoS One*. 2018 May 22;13(5):e0196769
- ²⁸ Crabtree JH, Burchette RJ. Effect of prior abdominal surgery, peritonitis, and adhesions on catheter function and long-term outcome on peritoneal dialysis. *Am Surg*. 2009 Feb;75(2):140-7
- ²⁹ Dias da Silva A, García Gago L, Rodríguez Magariños C, Astudillo Jarrín D, Rodríguez-Carmona A, García Falcon T, Pérez Fontán M. Does prior abdominal surgery influence peritoneal transport characteristics or technique survival of peritoneal dialysis patients? *Blood Purif*. 2021;50(3):328-335

- ³⁰ Keshvari A, Fazeli MS, Meysamie A, Seifi S, Taromloo MK. The effects of previous abdominal operations and intraperitoneal adhesions on the outcome of peritoneal dialysis catheters. *Perit Dial Int*. 2010 Jan-Feb;30(1):41-5
- ³¹ Lew SQ. Peritoneal dialysis immediately after abdominal surgery. *Perit Dial Int*. 2018 Jan-Feb;38(1):5-8
- ³² Htay H, Johnson DW, Craig JC, Schena FP, Strippoli GF, Tong A, Cho Y. Catheter type, placement and insertion techniques for preventing catheter-related infections in chronic peritoneal dialysis patients. *Cochrane Database Syst Rev*. 2019 May 31;5(5):CD004680
- ³³ Esagian SM, Spinos D, Vasilopoulou A, Syrigos N, Bishawi M, Lehrich RW, Middleton JP, Suhocki PV, Pappas TN, Economopoulos KP. Influence of peritoneal dialysis catheter type on complications and long-term outcomes: an updated systematic review and meta-analysis. *J Nephrol*. 2021 Dec;34(6):1973-1987
- ³⁴ Sreenarasimhaiah VP, Margassery SK, Martin KJ, Bander SJ. Percutaneous technique of presternal peritoneal dialysis catheter placement. *Semin Dial*. 2004 Sep-Oct;17(5):407-10
- ³⁵ Bolton L. Preventing peritoneal dialysis infections. *Wounds*. 2019 Jun;31(6):163-165
- ³⁶ Oropeza K. What's the buzz about medical-grade honey? *Nursing*. 2014 Jul;44(7):59
- ³⁷ Feng S, Wang Y, Qiu B, Wang Z, Jiang L, Zhan Z, Jiang S, Shen H. Impact of early-onset peritonitis on mortality and technique survival in peritoneal dialysis patients. *Springerplus*. 2016 Sep 29;5(1):1676
- ³⁸ Ye H, Zhou Q, Fan L, Guo Q, Mao H, Huang F, Yu X, Yang X. The impact of peritoneal dialysis-related peritonitis on mortality in peritoneal dialysis patients. *BMC Nephrol*. 2017 Jun 5;18(1):186
- ³⁹ Himmele R, Zeller-Knuth CE, Janik A. Interpreting the peritoneal equilibration test (PET). Fresenius Medical Care. <https://fmcna.com/insights/education/interpreting-the-peritoneal-equilibration-test-pet/> Accessed 9/23/2020
- ⁴⁰ Schatell D. View from the bed: how to cope with PD cycler pain. Blog post on Home Dialysis Central. <https://homedialysis.org/news-and-research/blog/358-view-from-the-bed:-how-to-cope-with-pd-cycler-pain>. Accessed 9/30/2020
- ⁴¹ Stonelake S, Baharani J, Thomas M, Adkins R, Hollingsworth L, Wilmink T. Outcomes of the weighted peritoneal dialysis catheter in patients at risk of percutaneous catheter failure. *Perit Dial Int*. 2019 Mar-Apr;39(2):142-146
- ⁴² Shu Y, Liu J, Zeng X, Hong HG, Li Y, Zhong H, Ma L, Fu P. The effect of overhydration on mortality and technique failure among peritoneal dialysis patients: a systematic review and meta-analysis. *Blood Purif*. 2018;46(4):350-358
- ⁴³ Yoon HE, Kwon YJ, Song HC, Kim JK, Song YR, Shin SJ, Kim HW, Lee CH, Lee TW, Kim YO, Kim BS, Moon KH, Chang YK, Kim SS, Bang K, Cho JT, Yun SR, Na KR, Kim YW, Han BG, Chung JH, Lee KY, Jeong JH, Hwang EA, Kim YS; Quality of Life of Dialysis Patients (QOLD) Study Group. Overhydration negatively affects quality of life in peritoneal dialysis patients: Evidence from a prospective observational study. *Int J Med Sci*. 2016 Aug 11;13(9):686-95
- ⁴⁴ Jagirdar RM, Bozikas A, Zarogiannis SG, Bartosova M, Schmitt CP, Liakopoulos V. Encapsulating peritoneal sclerosis: pathophysiology and current treatment options. *Int J Mol Sci*. 2019 Nov 16;20(22):5765

- ⁴⁵ Sukul N, Mukhopadhyay P, Schaubel DE, Pearson J, Turenne M, Saran R, Robinson BM, Pisoni RL. Peritoneal dialysis and mortality, kidney transplant, and transition to hemodialysis: trends from 1996-2015 in the United States. *Kidney Med*. 2020 Aug 7;2(5):610-619.e1
- ⁴⁶ Agar J. The mathematics of dialysis vs. two normal kidneys. Blog post on Home Dialysis Central. <https://homedialysis.org/news-and-research/blog/180-the-mathematics-of-dialysis-vs-two-normal-kidneys>. Accessed 12/22/2020
- ⁴⁷ Piraino B, Bargman J, email communication on 12/22/2020
- ⁴⁸ Eloit S, Vanholder R, Dequidt C, Van Biesen W. Removal of different classes of uremic toxins in APD vs. CAPD: a randomized cross-over study. *Perit Dial Int*. 2015 Jul-Aug;35(4):436-42

Chapter 9: Hemodialysis Access and Treatment Time

- ¹ Perl J, Wald R, McFarlane P, Bargman JM, Vonesh E, Na Y, Jassal SV, Moist L. Hemodialysis vascular access modifies the association between dialysis modality and survival. *J Am Soc Nephrol*. 2011 Jun;22(6):1113-1121
- ² Bylsma LC, Gage SM, Reichert H, Dahl SLM, Lawson JH. Arteriovenous fistulae for haemodialysis: a systematic review and meta-analysis of efficacy and safety outcomes. *Eur J Vasc Endovasc Surg*. 2017 Oct;54(4):513-522
- ³ Georgiadis GS, Charalampidis DG, Argyriou C, Georgakarakos EI, Lazarides MK. The necessity for routine pre-operative ultrasound mapping before arteriovenous fistula creation: a meta-analysis. *Eur J Vasc Endovasc Surg*. 2015 May; 49(5):600-5
- ⁴ Bénard V, Pichette M, Lafrance JP, Elftouh N, Pichette V, Laurin LP, Nadeau-Fredette AC. Impact of arteriovenous fistula creation on estimated glomerular filtration rate decline in predialysis patients. *BMC Nephrol*. 2019 Nov 25;20(1):420
- ⁵ Sumida K, Molnar MZ, Potukuchi PK, Thomas F, Lu JL, Ravel VA, Soohoo M, Rhee CM, Streja E, Yamagata K, Kalantar-Zadeh K, Kovesdy CP. Association between vascular access creation and deceleration of estimated glomerular filtration rate decline in late-stage chronic kidney disease patients transitioning to end-stage renal disease. *Nephrol Dial Transplant*. 2017 Aug 1;32(8):1330-1337
- ⁶ Schuessler E, Jackson L. Endovascular AV fistula creation and use. Supplement. *Core Curriculum for the Dialysis Technician*, 6th Ed. 2018. Medical Education Institute, Inc., Madison WI
- ⁷ Goodkin DA, Pisoni RL, Locatelli F, Port FK, Saran R. Hemodialysis vascular access training and practices are key to improved access outcomes. *Am J Kidney Dis*. 2010 Dec;56(6):1032-42
- ⁸ Shahinian VB, Zhang X, Tilea AM, He K, Schaubel DE, Wu W, Pisoni R, Robinson B, Saran R, Woodside KJ. Surgeon characteristics and dialysis vascular access outcomes in the United States: A retrospective cohort study. *Am J Kidney Dis*. 2020 Feb;75(2):158-166
- ⁹ Katheraveloo KKALS, Safri LS, Hou LG, Maliki AH, Idris MAM, Harunarashid H. Effect of isometric handgrip exercise on the size of cephalic veins in patients with stage 3 and 4 chronic kidney disease: a randomized controlled trial. *J Vasc Access*. 2020 May;21(3):372-378

- ¹⁰ Gage SM, Lawson M, Nichols C, Sycks D, Manson RJ, Knight JA. An immediate access dialysis graft designed to prevent needle-related complications: results from the initial pre-clinical studies. *J Vasc Access*. 2020 May;21(3):328-335
- ¹¹ Schmidli J, Widmer MK, Basile C, de Donato G, Gallieni M, Gibbons CP, Haage CP, Hamilton G, Hedin U, Kamper L, Lazarides MK, Lindsey B, Mestres G, Pegoraro M, Roy J, Setacci C, Shemesh D, Tordoir JHM, van Loon M, Esvs Guidelines Committee, Kolh P, de Borst GJ, Chakfe N, Debus S, Hinchliffe R, Kakkos S, Koncar I, Lindholt J, Naylor R, Vega de Ceniga M, Vermassen F, Verzini F, Esvs Guidelines Reviewers, Mohaupt M, Ricco JB, Roca-Tey R. Editor's Choice – Vascular Access: 2018 Clinical Practice Guidelines of the European Society for Vascular Surgery (ESVS). *Eur J Vasc Endovasc Surg*. 2018 Jun;55(6):757-818
- ¹² Voorzaat BM, Janmaat CJ, van der Bogt KEA, Dekker FW, Rotmans JI on behalf of the Vascular Access Study Group. Patency outcomes of arteriovenous fistulas and grafts for hemodialysis access: a trade-off between nonmaturation and long-term complications. *Kidney360*. 2020 Jul 23;1(9):916-924
- ¹³ Lazarides MK, Georgakarakos EI, Schoretanis N. Extra- and intrathoracic access. *J Vasc Access* 2014;15 Suppl 7:S125-9
- ¹⁴ Al Shakarchi J, Houston JG, Jones RG, Inston N. A review on the hemodialysis reliable outflow (HeRO) graft for haemodialysis vascular access. *Eur J Vasc Endovasc Surg*. 2015 Jul;50(1):108-13
- ¹⁵ Coritsidis GN, Machado ON, Levi-Haim F, Yaphe S, Patel RA, Depa J. Point-of-care ultrasound for assessing arteriovenous fistula maturity in outpatient hemodialysis. *J Vasc Access*. 2020 Nov;21(6):923-930
- ¹⁶ Chan DYF, Dobson S, Barber T. Hemodialysis taping styles and their effect on reducing the chance of venous needle dislodgement. *Semin Dial*. 2021 May;34(3):218-223
- ¹⁷ Parisotto MT, Schoder VU, Miriunis C, Grassmann AH, Scatizzi LP, Kaufmann P, Stopper A, Marcelli D. Cannulation technique influences arteriovenous fistula and graft survival. *Kidney Int*. 2014 Oct;86(4):790-7
- ¹⁸ Ward FL, Faratro R, McQuillan RF. Self-cannulation of the vascular access in home hemodialysis: overcoming patient-level barriers. *Semin Dial*. 2018 Sep;31(5):449-454
- ¹⁹ Staaf K, Fernstrom A, Uhlin F. Cannulation technique and complications in arteriovenous fistulas: a Swedish Renal Registry-based cohort study. *BMC Nephrol*. 2021 Jul 7;22(1):256
- ²⁰ United States Renal Data System (USRDS) 2021 Annual Report. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Chapter 4: Vascular Access.
- ²¹ Yeh LM, Chiu SY, Lai PC. The impact of vascular access types on hemodialysis patient long-term survival. *Sci Rep*. 2019 Jul 24;9(1):10708
- ²² Lok CE, Huber TS, Lee T, Shenoy S, Yevzlin AS, Abreo K, Allon M, Asif A, Astor BC, Glickman MH, Graham J, Moist LM, Rajan DK, Roberts C, Vachharajani TJ, Valentini RP. KDOQI Clinical Practice Guidelines for Vascular Access: 2019 update. *Am J Kidney Dis*. 2020 Apr;75(4 Suppl 2):S1-S164
- ²³ Wang L, Liu ZS, Wang CA. Malposition of central venous catheter: presentation and management. *Chin Med J (Engl)*. 2016 Jan 20;129(2):227-34

- ²⁴ Chaudhry H, Zhou J, Zhong Y, Ali MM, McGuire F, Nagarkatti PS, Nagarkatti M. Role of cytokines as a double-edged sword in sepsis. *In Vivo*. 2013 Nov-Dec;27(6):669-84
- ²⁵ Locham S, Naazie I, Canner J, Siracuse J, Al-Nouri O, Malas M. Incidence and risk factors of sepsis in hemodialysis patients in the United States. *J Vasc Surg*. 2021 Mar;73(3):1016-1021.e3
- ²⁶ Sepsis Basics. <https://www.sepsis.org/sepsis-basics/symptoms/>. Accessed on 12/15/2020.
- ²⁷ Sahutoglu T, Sakaci T, Hasbal NB, Kara E, Ahbap E, Sevinc M, Koc Y, Basturk T, Sahutoglu E, Unsal A. Air embolism following removal of hemodialysis catheter. *Hemodial Int*. 2017 Jan;21(1):29-34
- ²⁸ Fulker D, Simmons A, Barber T. Computational model of the arterial and venous needle during hemodialysis. *J Biomech Eng*. 2017 Jan 1;139(1)
- ²⁹ Golper TA, Fissell R, Fissell WH, Hartle PM, Sanders ML, Schulman G. Hemodialysis: core curriculum 2014. *Am J Kidney Dis*. 2014 Jan;63(1):153-63
- ³⁰ Flythe JE, Kimmel SE, Brunelli SM. Rapid fluid removal during dialysis is associated with cardiovascular morbidity and mortality. *Kidney Int*. 2011 Jan;79(2):250-7
- ³¹ Rayner HC, Zepel L, Fuller DS, Morgenstern H, Karaboyas A, Culleton BF, Mapes DL, Lopes AA, Gillespie BW, Hasegawa T, Saran R, Tentori F, Hecking M, Pisoni RL, Robinson BM. Recovery time, quality of life, and mortality in hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Am J Kidney Dis*. 2014 Jul;64(1):86-94
- ³² Alvarez L, Brown D, Hu D, Chertow GM, Vassalotti JA, Prichard S. Intradialytic symptoms and recovery time in patients on thrice-weekly in-center hemodialysis: a cross-sectional online survey. *Kidney Med*. 2019 Dec 20;2(2):125-130
- ³³ Mitsides N, Pietribiasi M, Waniewski J, Brenchley P, Mitra S. Transcapillary refilling rate and its determinants
- ³⁴ Hussein WF, Arramreddy R, Sun SJ, Reiterman M, Schiller B. Higher ultrafiltration rate is associated with longer dialysis recovery time in patients undergoing conventional hemodialysis. *Am J Nephrol*. 2017 May 30;46(1):3-10
- ³⁵ Murea M, Kalantar-Zadeh K. Incremental and twice-weekly hemodialysis program in practice. *Clin J Am Soc Nephrol*. 2020 Dec 31;16(1):147-149
- ³⁶ Emmett CJ, Macintyre K, Kitsos A, McKercher CM, Jose M, Bettiol S. Independent effect of haemodialysis session frequency and duration on survival in non-indigenous Australians on haemodialysis. *Nephrology (Carlton)*. 2020 Apr;25(4):323-331

Chapter 10: Standard In-Center Hemodialysis (HD)

- ¹ Blagg CR. The early history of dialysis for chronic renal failure in the United States: a view from Seattle. *Am J Kidney Dis*. 2007 Mar;49(3):482-496
- ² Tentori F, Zhang J, Li Y, Karaboyas A, Kerr P, Saran R, Bommer J, Port F, Akiba T, Pisoni R, Robinson B. Longer dialysis session length is associated with better intermediate outcomes and survival among patients on in-center three times per week hemodialysis: results from the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Nephrol Dial Transplant*. 2012 Nov;27(11):4180-8

- ³ Hsu CY, Parikh RV, Pravoverov LN, Zheng S, Glidden DV, Tan TC, Go AS. Implication of trends in timing of dialysis initiation for incidence of end-stage kidney disease. *JAMA Intern Med.* 2020 Dec 1;180(12):1647-1654
- ⁴ National Kidney Foundation. K/DOQI clinical practice guidelines for chronic kidney disease: evaluation, classification, and stratification. *Am J Kidney Dis.* 2002 Feb;39(2 Suppl 1):S1-266
- ⁵ Cooper BA, Branley P, Bulfone L, Collins JF, Craig JC, Fraenkel MB, Harris A, Johnson DW, Kesselhut J, Li JJ, Luxton G, Pilmore A, Tiller DJ, Harris DC, Pollock CA; IDEAL Study. A randomized, controlled trial of early versus late initiation of dialysis. *N Engl J Med.* 2010 Aug 12;363(7):609-19
- ⁶ Tattersall J, Dekker F, Heimbürger O, Jager KJ, Lameire N, Lindley E, Van Biesen W, Vanholder R, Zoccali C; ERBP Advisory Board. When to start dialysis: updated guidance following publication of the Initiating Dialysis Early and Late (IDEAL) study. *Nephrol Dial Transplant.* 2011 Jul;26(7):2082-6
- ⁷ Ferguson TW, Garg AX, Sood MM, Rigatto C, Chau E, Komenda P, Naimark D, Nesrallah GE, Soroka SD, Beaulieu M, Alam A, Kim SJ, Dixon S, Manns B, Tangri N. Association between the publication of the Initiating Dialysis Early and Late trial and the timing of dialysis initiation in Canada. *JAMA Intern Med.* 2019 Jul 1;179(7):934-941
- ⁸ Rivara MB, Mehrotra R. Timing of dialysis initiation: what has changed since IDEAL? *Semin Nephrol.* 2017 Mar;37(2):181-193
- ⁹ Bozorgmehri S, Aboud H, Chamarthi G, Lui IC, Tezcan OB, Shukla AM, Kazory A, Rupam R, Segal MS, Bihorac A, Mohandas R. Association of early initiation of dialysis with all-cause and cardiovascular mortality: a propensity score weighted analysis of the United States Renal Data System. *Hemodial Int.* 2021 Apr;25(2):188-197
- ¹⁰ Bhatt GC, Das RR, Satapathy A. Early versus late initiation of renal replacement therapy: have we reached the consensus? An updated meta-analysis. *Nephron.* 2021;145(4):371-385
- ¹¹ Shimizu Y, Nakata J, Yanagisawa N, Shirotani Y, Fukuzaki H, Nohara N, Suzuki Y. Emergent initiation of dialysis is related to an increase in both mortality and medical costs. *Sci Rep.* 2020 Nov 12;10(1):19638
- ¹² Takagi K, Mizuno M, Kawase K, Minoshima K, Yamaha M, Horie M. Impact on survival of urgent dialysis initiation in patients with end-stage renal disease: a case-control study. *Clin Exp Nephrol.* 2020 Dec;24(12):1154-1161
- ¹³ United States Renal Data System. 2022 *USRDS Annual Data Report: Epidemiology of kidney disease in the United States*. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2022. Table D.1.
- ¹⁴ Moist LM, Bragg-Gresham JL, Pisoni RL, Saran R, Akiba T, Jacobson SH, Fukuhara S, Mapes DL, Rayner HC, Saito A, Port FK. Travel time to dialysis as a predictor of health-related quality of life, adherence, and mortality: the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Am J Kidney Dis.* 2008 Apr;51(4):641-50
- ¹⁵ Al Salmi I, Larkina M, Wang M, Subramanian L, Morgenstern H, Jacobson SH, Hakim R, Tentori F, Saran R, Akiba T, Tomilina NA, Port FK, Robinson BM, Pisoni RL. Missed hemodialysis treatments: International variation, predictors, and outcomes in the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Am J Kidney Dis.* 2018 Nov;72(5):634-643

- ¹⁶ Redsense Medical AB. Veteran Affairs announces that Redsense alarm will be mandatory on patients by November 1, 2010. <https://www.prnewswire.com/news-releases/veteran-affairs-announces-that-redsense-alarm-will-be-mandatory-on-patients-by-november-1-2010-101462114.html>. Visited 1/27/2022
- ¹⁷ Woodhouse J, Carter J, Grove D. What to do if you're bleeding from your fistula or graft (AVF or AVG). <https://www.ouh.nhs.uk/patient-guide/leaflets/files/40404Pgraft.pdf> Visited 7/20/2021
- ¹⁸ Rayner HC, Zepel L, Fuller DS, Morgenstern H, Karaboyas A, Culleton BF, Mapes DL, Lopes AA, Gillespie BW, Hasegawa T, Saran R, Tentori F, Hecking M, Pisoni RL, Robinson BM. Recovery time, quality of life, and mortality in hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Am J Kidney Dis.* 2014 Jul;64(1):86-94
- ¹⁹ Lukowsky LR, Kheifets L, Arah OA, Nissenson AR, Kalantar-Zadeh K. Patterns and predictors of early mortality in incident hemodialysis patients: new insights. *Am J Nephrol.* 2012;35(6):548-58
- ²⁰ Robinson BM, Zhang J, Morgenstern H, Bradbury BD, Ng LJ, McCullough KP, Gillespie BW, Hakim R, Rayner H, Fort J, Akizawa T, Tentori F, Pisoni RL. Worldwide, mortality risk is high soon after initiation of hemodialysis. *Kidney Int.* 2014 Jan;85(1):158-65
- ²¹ Kimata N, Tsuchiya K, Akiba T, Nitta K. Differences in the characteristics of dialysis patients in Japan compared with those in other countries. *Blood Purif.* 2015;40(4):275-9
- ²² Jassal SV, Larkina M, Jager KJ, Murtagh FEM, O'Hare AM, Hanafusa N, Morgenstern H, Port FK, McCullough K, Pisoni R, Tentori F, Perlman R, Swartz RD. International variation in dialysis discontinuation in patients with advanced kidney disease. *CMAJ.* 2020 Aug 31;192(35):E995-E1002
- ²³ Saran R, Bragg-Gresham JL, Levin NW, Twardowski ZJ, Wizemann V, Saito A, Kimata N, Gillespie BW, Combe C, Bommer J, Akiba T, Mapes DL, Young EW, Port FK. Longer treatment time and slower ultrafiltration in hemodialysis: associations with reduced mortality in the DOPPS. *Kidney Int.* 2006 Apr;69(7):1222-8
- ²⁴ Weinhandl E, Constantini E, Everson S, Gilbertson D, Li S, Solid C, Anger M, Bhat JG, DeOreo P, Krishnan M, Nissenson A, Johnson D, Ikizler TA, Maddux F, Sadler J, Tyshler L, Parker T 3rd, Schiller B, Smith B, Lindenfeld S, Collins AJ. Peer kidney care initiative 2014 report: dialysis care and outcomes in the United States. *Am J Kidney Dis.* 2015 Jun;65(6 Suppl 1): Svi, S1-140
- ²⁵ Golper TA, Fissell R, Fissell WH, Hartle PM, Sanders ML, Schulman G. Hemodialysis: core curriculum 2014. *Am J Kidney Dis.* 2014 Jan;63(1):153-63
- ²⁶ Agar J. Hemodialysis eGFR equivalence: why more—and more often—matters. KidneyViews blog post, Feb. 2, 2017. <https://homedialysis.org/news-and-research/blog/188-hemodialysis-egfr-equivalence-why-more-and-more-often-matters>

Chapter 11: Daily Home Hemodialysis

- ¹ Beth Witten. Your equipment and supply questions. <https://homedialysis.org/life-at-home/articles/equipment-and-supply-questions>. Visited 4/1/2021.

- ² NxStage System One Gets FDA Nod for Solo Home Hemodialysis.
<https://www.prnewswire.com/news-releases/nxstage-medical-announces-fda-clearance-for-solo-home-hemodialysis-using-nxstage-system-one-300509804.html>.
Visited 8/16/2023
- ³ Jacquet S, Trinh E. The potential burden of home dialysis on patients and caregivers: a narrative review. *Can J Kidney Health Dis*. 2019 Dec 18;6:2054358119893335
- ⁴ Levin DI, Lingam T, Janiga NJ. 2020 outlook: dialysis clinics and ESRD. *HealthCare Appraisers, Inc*. March 6, 2020. <https://healthcareappraisers.com/2020-outlook-dialysis-clinics-and-esrd/>. Visited 3/30/2021
- ⁵ Morfin JA, Fluck RJ, Weinhandl ED, Kansal S, McCullough PA, Komenda P. Intensive hemodialysis and treatment complications and tolerability. *Am J Kidney Dis*. 2016 Nov;68(5S1):S43-S50
- ⁶ Agar J. Hemodialysis eGFR equivalence: why more—and more often—matters. KidneyViews blog post, Feb. 2, 2017. <https://homedialysis.org/news-and-research/blog/188-hemodialysis-egfr-equivalence-why-more-and-more-often-matters>
- ⁷ Goldfarb-Rumyantzev AS, Cheung AK, Leypoldt JK. Computer simulation of small-solute and middle-molecule removal during short daily and long thrice-weekly hemodialysis. *Am J Kidney Dis*. 2002 Dec;40(6):1211-8
- ⁸ Piccoli GB, Bermond F, Mezza E, Burdese M, Fop F, Mangiarotti G, Pacitti A, Maffei S, Martina G, Jeantet A, Segoloni GP, Piccoli G. Vascular access survival and morbidity on daily dialysis: a comparative analysis of home and limited care haemodialysis. *Nephrol Dial Transplant*. 2004 Aug;19(8):2084-94
- ⁹ Suri RS, Larive B, Sherer S, Eggers P, Gassman J, James SH, Lindsay RM, Lockridge RS, Ornt DB, Rocco MV, Ting GO, Kliger AS; Frequent Hemodialysis Network Trial Group. Risk of vascular access complications with frequent hemodialysis. *J Am Soc Nephrol*. 2013 Feb;24(3):498-505

Chapter 12: Nocturnal Hemodialysis

- ¹ Diebel L, Jafari M, Shah S, Day C, McNaught C, Prasad B. Barriers to home hemodialysis across Saskatchewan, Canada: a cross-sectional survey of in-center dialysis patients. *Can J Kidney Health Dis*. 2020 Aug 10;7:2054358120948293
- ² Schachter ME, Saunders MJ, Akbari A, Caryk JM, Bugeja A, Clark EG, Tennankore KK, Martinusen DJ. Technique survival and determinants of technique failure in in-center nocturnal hemodialysis: a retrospective observational study. *Can J Kidney Health Dis*. 2020 Dec 7;7:2054358120975305
- ³ Cafazzo JA, Leonard K, Easty AC, Rossos PG, Chan CT. Patient perceptions of remote monitoring for nocturnal home hemodialysis. *Hemodial Int*. 2010 Oct;14(4):471-7
- ⁴ Thumfart J, Pommer W, Querfeld U, Muller D. Intensified hemodialysis in adults, and in children and adolescents. *Dtsch Arztebl Int*. 2014;111(14):237-243
- ⁵ Nagase S, Hirayama A, Ueda A, Oteki T, Takada K, Inoue M, Shimozawa Y, Terao J, Koyama A. Light-shielded hemodialysis prevents hypotension and lipid peroxidation by inhibiting nitric acid production. *Clin Chem*. 2005 Dec;51(12):2397-8

- ⁶ Agar J. The mathematics of dialysis vs. two normal kidneys. KidneyViews blog, posted Dec. 1, 2016. <https://homedialysis.org/news-and-research/blog/180-the-mathematics-of-dialysis-vs-two-normal-kidneys>
- ⁷ Goldfarb-Rumyantzev AS, Cheung AK, Leypoldt JK. Computer simulation of small-solute and middle-molecule removal during short daily and long thrice-weekly hemodialysis. *Am J Kidney Dis*. 2002 Dec;40(6):1211-8
- ⁸ Kalim S, Wald R, Yan AT, Goldstein MB, Kiai M, Xu D, Berg AH, Clish C, Thadhani R, Rhee EP, Perl J. Extended duration nocturnal hemodialysis and changes in plasma metabolite profiles. *Clin J Am Soc Nephrol*. 2018 Mar 7;13(3):436-444
- ⁹ Hinghofer-Szalkay H. [Investigations concerning postural influences on blood and blood plasma (author's transl)] [Article in German]. *Klin Wochenschr*. 1980 Oct 15;58(20):1147-54

Chapter 13: Comfort Care

- ¹ Mandel EI, Bernacki RE, Block SD. Serious illness conversations in ESRD. *Clin J Am Soc Nephrol*. 2017 May 8;12(5):854-863
- ² Ladin K, Neckermann I, D'Arcangelo N, Koch-Weser S, Wong JB, Gordon EJ, Rossi A, Rifkin D, Isakova T, Weiner DE. Advance care planning in older adults with CKD: patient, care partner, and clinician perspectives. *J Am Soc Nephrol*. 2021 Jun 1;32(6):1527-1535
- ³ Diamond LH, Armistead NC, Lupu DE, Moss AH; Steering Committee of the Coalition for Supportive Care of Kidney Patients. Recommendations for public policy changes to improve supportive care for seriously ill patients with kidney disease. *Am J Kidney Dis*. 2021 Apr;77(4):529-537
- ⁴ Renal Physicians Association (RPA). Shared decision-making in the appropriate initiation of and withdrawal from dialysis. Clinical Practice Guideline. Second edition. 2010, Rockville, MD. https://cdn.ymaws.com/www.renalmd.org/resource/resmgr/Store/Shared_Decision_Making_Recom.pdf Visited 3/16/2021
- ⁵ Richards CA, Hebert PL, Liu CF, Ersek M, Wachterman MW, Taylor LL, Reinke LF, O'Hare AM. Association of family ratings of quality of end-of-life care with stopping dialysis treatment and receipt of hospice services. *JAMA Netw Open*. 2019 Oct 2;2(10):e1913115
- ⁶ National Hospice and Palliative Care Organization. What is palliative care? <https://www.caringinfo.org/types-of-care/palliative-care/> . Visited 7/22/2022
- ⁷ Get Palliative Care. Kidney disease, kidney failure, and palliative care. <https://getpalliativecare.org/whatis/disease-types/kidney-disease-kidney-failure-palliative-care/>. Visited 3/16/2021
- ⁸ Hospice Foundation of America. What is hospice? <https://hospicefoundation.org/Hospice-Care/Hospice-Services>. Visited 3/16/2021
- ⁹ Zarantonello D, Rhee CM, Kalantar-Zadeh K, Brunori G. Novel conservative management of chronic kidney disease via dialysis-free interventions. *Curr Opin Nephrol Hypertens*. 2021 Jan;30(1):97-107

- ¹⁰ Saeed F, Ladwig SA, Epstein RM, Monk RD, Duberstein PR. Dialysis regret: prevalence and correlates. *Clin J Am Soc Nephrol*. 2020 Jul 1;15(7):957-963
- ¹¹ Combs SA, Davison SN. Palliative and end-of-life care issues in chronic kidney disease. *Curr Opin Support Palliat Care*. 2015 Mar;9(1):14-9
- ¹² Wong SPY, O'Hare AM. Making sense of prognostic information about maintenance dialysis versus conservative care for treatment of advanced kidney disease. *Nephron*. 2017;137(3):169-171
- ¹³ Fu R, Sekercioglu N, Mathur MB, Couban R, Coyte PC. Dialysis initiation and all-cause mortality among incident adult patients with advanced CKD: a meta-analysis with bias analysis. *Kidney Med*. 2020 Dec 3;3(1):64-75.e1
- ¹⁴ Verberne WR, Geers AB, Jellema WT, Vincent HH, van Delden JJ, Bos WJ. Comparative survival among older adults with advanced kidney disease managed conservatively versus with dialysis. *Clin J Am Soc Nephrol*. 2016 Apr 7;11(4):633-40
- ¹⁵ Chandna SM, Da Silva-Gane M, Marshall C, Warwicker P, Greenwood RN, Farrington K. Survival of elderly patients with stage 5 CKD: comparison of conservative management and renal replacement therapy. *Nephrol Dial Transplant*. 2011 May;26(5):1608-14
- ¹⁶ Moss AH, Navia RO. Should we recommend dialysis for older patients with kidney failure and dementia? *J Am Geriatr Soc*. 2021 Apr;69(4):1105-1107
- ¹⁷ McAdams-DeMarco MA, Daubresse M, Bae S, Gross AL, Carlson MC, Segev DL. Dementia, Alzheimer's disease, and mortality after hemodialysis initiation. *Clin J Am Soc Nephrol*. 2018 Sep 7;13(9):1339-1347
- ¹⁸ DeVelasco R, Dinwiddie LC. Management of the patient with ESRD after withdrawal from dialysis. *ANNA J*. 1998 Dec;25(6):611-4
- ¹⁹ Russell JSC, Oliverio A, Paulus A. Barriers to conservative management conversations: perceptions of nephrologists and fellows-in-training. *J Palliat Med*. 2021 Sep;24(10):1497-1504
- ²⁰ Hussain JA, Flemming K, Murtagh FE, Johnson MJ. Patient and health care professional decision-making to commence and withdraw from renal dialysis: a systematic review of qualitative research. *Clin J Am Soc Nephrol*. 2015 Jul 7;10(7):1201-15
- ²¹ Kilshaw L, Sammut H, Asher R, Williams P, Saxena R, Howse M. A study to describe the health trajectory of patients with advanced renal disease who choose not to receive dialysis. *Clin Kidney J*. 2016 Jun;9(3):470-5
- ²² O'Connor NR, Kumar P. Conservative management of end-stage renal disease without dialysis: a systematic review. *J Palliat Med*. 2012 Feb;15(2):228-35
- ²³ Buur LE, Madsen JK, Eidemak I, Krarup E, Lauridsen TG, Taasti LH, Finderup J. Does conservative kidney management offer a quantity or quality of life benefit compared to dialysis? A systematic review. *BMC Nephrol*. 2021 Sep 11;22(1):307
- ²⁴ Karlin J, Chesla CA, Grubbs V. Dialysis or death: a qualitative study of older patients' and their families' understanding of kidney failure treatment options in a US public hospital setting. *Kidney Med*. 2019 May 10;1(3):124-130
- ²⁵ Oestreich T, Sayre G, O'Hare AM, Curtis JR, Wong SPY. Perspectives on conservative care in advanced kidney disease: a qualitative study of US patients and family members. *Am J Kidney Dis*. 2021 Mar;77(3):355-364.e1

- ²⁶ Noble H, Meyer J, Bridges J, Kelly D, Johnson B. Patient experience of dialysis refusal or withdrawal—a review of the literature. *J Ren Care*. 2008 Jun;34(2):94-100
- ²⁷ Chen JC, Thorsteinsdottir B, Vaughan LE, Feely MA, Albright RC, Onuigbo M, Norby SM, Gossett CL, D’Uscio MM, Williams AW, Dillon JJ, Hickson LJ. End of life, withdrawal, and palliative care utilization among patients receiving maintenance hemodialysis therapy. *Clin J Am Soc Nephrol*. 2018 Aug 7;13(8): 1172-1179
- ²⁸ Cohen LM, Germain MJ, Poppel DM, Woods AL, Pekow PS, Kjellstrand CM. Dying well after discontinuing the life-support treatment of dialysis. *Arch Intern Med*. 2000 Sep 11;160(16):2513-8
- ²⁹ United States Renal Data System. 2021 *USRDS Annual Data Report: Epidemiology of kidney disease in the United States*. National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, Bethesda, MD, 2021. Table H.12. Dialysis
- ³⁰ Mustafa RA, Bdair F, Akl EA, Garg AX, Thiessen-Philbrook H, Salameh H, Kisra S, Nesrallah G, Al-Jaishi A, Patel P, Patel P, Mustafa AA, Schünemann HJ. Effect of lowering the dialysate temperature in chronic hemodialysis: a systematic review and meta-analysis. *Clin J Am Soc Nephrol*. 2016 Mar 7;11(3):442-57

Chapter 14: Switching from One Treatment Option to Another

- ¹ Imbeault B, Nadeau-Fredette AC. Optimization of dialysis modality transitions for improved patient care. *Can J Kidney Health Dis*. 2019 Oct 16;6:2054358119882664
- ² Röttele N, Schöpf-Lazzarino AC, Becker S, Körner M, Boeker M, Wirtz MA. Agreement of physician and patient ratings of communication in medical encounters: a systematic review and meta-analysis of interrater agreement. *Patient Educ Couns*. 2020 Oct;103(10):1873-1882
- ³ Ho YF, Chen YC, Huang CC, Hu WY, Lin KC, Li IC. The effects of shared decision making on different renal replacement therapy decisions in patients with chronic kidney disease. *J Nurs Res*. 2020 Aug;28(4):e109
- ⁴ Evangelidis N, Tong A, Manns B, Hemmelgarn B, Wheeler DC, Tugwell P, Crowe S, Harris T, Van Biesen W, Winkelmayr WC, Sautenet B, O’Donoghue D, Tam-Tham H, Youssouf S, Mandayam S, Ju A, Hawley C, Pollock C, Harris DC, Johnson DW, Rifkin DE, Tentori F, Agar J, Polkinghorne KR, Gallagher M, Kerr PG, McDonald SP, Howard K, Howell M, Craig JC; Standardized Outcomes in Nephrology-Hemodialysis (SONG-HD) Initiative. Developing a set of core outcomes for trials in hemodialysis: an international Delphi survey. *Am J Kidney Dis*. 2017 Oct;70(4):464-475
- ⁵ Merighi JR, Schatell DR, Bragg-Gresham JL, Witten B, Mehrotra R. Insights into nephrologist training, clinical practice, and dialysis choice. *Hemodial Int*. 2012 Apr;16(2):242-51
- ⁶ Alsharani M, Basonbul F, Yohanna S. Low rates of preemptive kidney transplantation: a root cause analysis to identify opportunities for improvement. *J Clin Med Res*. 2021;13(1):1-8
- ⁷ Mitsui Y, Araki M, Maruyama Y, Yoshinaga K, Sadahira T, Wada K, Tanabe K, Kitagawa M, Kobayashi Y, Watanabe M, Watanabe T, Nasu Y. Quality of life and mental satisfaction improve slowly in preemptive kidney transplantation compared with nonpreemptive kidney transplantation. *Transplant Proc*. 2020 Apr;52(3):740-747

- ⁸ Auneau-Enjalbert L, Hardouin JB, Blanchin M, Giral M, Morelon E, Cassuto E, Meurette A, Sébille V. Comparison of longitudinal quality of life outcomes in preemptive and dialyzed patients on waiting list for kidney transplantation. *Qual Life Res.* 2020 Apr;29(4):959-970
- ⁹ Reese PP, Mohan S, King KL, Williams WW, Potluri VS, Harhay MN, Eneaya ND. Racial disparities in preemptive wait-listing and deceased donor kidney transplantation: ethics and solutions. *Am J Transplant.* 2021 Mar;21(3):958-967
- ¹⁰ Zelnick LR, Leca N, Young B, Bansal N. Association of the estimated glomerular filtration rate with vs without a coefficient for race with time to eligibility for kidney transplant. *JAMA Netw Open.* 2021 Jan 4;4(1):e2034004
- ¹¹ Vyas DA, Eisenstein LG, Jones DS. Hidden in plain sight—reconsidering the use of race correction in clinical algorithms. *N Engl J Med.* 2020 Aug 27;383(9):874-882
- ¹² Bowman B, Zheng S, Yang A, Schiller B, Morfin JA, Seek M, Lockridge RS. Improving incident ESRD care via a transitional care unit. *Am J Kidney Dis.* 2018 Aug;72(2):278-283
- ¹³ Zang XJ, Yang B, Du X, Mei CL. Urgent-start peritoneal dialysis and patient outcomes: a systematic review and meta-analysis. *Eur Rev Med Pharmacol Sci.* 2019 Mar;23(5):2158-2166
- ¹⁴ Auguste BL, Bargman JM. Incremental peritoneal dialysis: new ideas about an old approach. *Semin Dial.* 2018 Sep;31(5):445-448
- ¹⁵ Lee Y, Chung SW, Park S, Ryu H, Lee H, Kim DK, Joo KW, Ahn C, Lee J, Oh KH. Incremental peritoneal dialysis may be beneficial for preserving residual renal function compared to full-dose peritoneal dialysis. *Sci Rep.* 2019 Jul 12;9(1):10105
- ¹⁶ Eschbach JW, Seymour M, Potts A, Clark M, Blagg CR. A hemodialysis orientation unit. *Nephron.* 1983;33(2):106-110
- ¹⁷ Wingard RL, Chan KE, Lazarus JM, Hakim RM. The “right” of passage: surviving the first year of dialysis. *Clin J Am Soc Nephrol.* 2009 Dec;4 Suppl 1:S114-20
- ¹⁸ Lee YJ, Okuda Y, Sy J, Lee YK, Obi Y, Cho S, Chen JLT, Jin A, Rhee CM, Kalantar-Zadeh K, Streja E. Ultrafiltration rate, residual kidney function, and survival among patients treated with reduced-frequency hemodialysis. *Am J Kidney Dis.* 2020 Mar;75(3):342-350
- ¹⁹ Davenport A, Guirguis A, Almond M, Day C, Chilcot J, Wellsted D, Farrington K. Comparison of characteristics of centers practicing incremental vs. conventional approaches to hemodialysis delivery—postdialysis recovery time and patient survival. *Hemodial Int.* 2019 Jul;23(3):288-296
- ²⁰ Agar J. Incremental dialysis: toward a nuanced approach. KidneyViews blog post, May 9, 2019. <https://homedialysis.org/news-and-research/blog/308-incremental-dialysis-toward-a-nuanced-approach>. Visited 4/29/2021
- ²¹ Allen K, Damery SL, Sein K, Johnson DW, Davies SJ, Lambie M, Holvoet E, Combes GM. How do patients and their family members experience the transition from peritoneal dialysis to in-centre haemodialysis? A multisite qualitative study in England and Australia. *Perit Dial Int.* 2020 May;42(3):297-304
- ²² Holvoet E, Verhaeghe S, Davies S, Combes G, François K, Johnson D, Van Biesen W, Van Humbeeck L. Patients’ experiences of transitioning between different renal replacement therapy modalities: a qualitative study. *Perit Dial Int.* 2020 Nov;40(6):548-555

- ²³ Kansal SK, Morfin JA, Weinhandl ED. Survival and kidney transplant incidence on home versus in-center hemodialysis, following peritoneal dialysis technique failure. *Perit Dial Int*. 2019 Jan-Feb;39(1):25-34
- ²⁴ Choi SJ, Obi Y, Ko GJ, You AS, Eriguchi R, Wang M, Rhee CM, Kalantar-Zadeh K. Comparing patient survival of home hemodialysis and peritoneal dialysis patients. *Am J Nephrol*. 2020;51(3):192-200
- ²⁵ Weinhandl ED, Gilbertson DT, Collins AJ. Mortality, hospitalization, and technique failure in daily home hemodialysis and matched peritoneal dialysis patients: a matched cohort study. *Am J Kidney Dis*. 2016 Jan;67(1):98-110
- ²⁶ Agar JW, Macgregor MS, Blagg CR. Chronic maintenance hemodialysis: making sense of the terminology. *Hemodial Int*. 2007 Apr;11(2):252-62
- ²⁷ Slon Roblero MF, Borman N, Bajo Rubio MA. Integrated care: enhancing transition from renal replacement therapy options to home haemodialysis. *Clin Kidney J*. 2019 Nov 18;13(1):105-110
- ²⁸ Rydell H, Ivarsson K, Almquist M, Segelmark M, Clyne N. Improved long-term survival with home hemodialysis compared with institutional hemodialysis and peritoneal dialysis: a matched cohort study. *BMC Nephrol*. 2019 Feb 13;20(1):52
- ²⁹ Harhay MN, Yang W, Sha D, Roy J, Chai B, Fischer MJ, Hamm LL, Hart PD, Hsu CY, Huan Y, Huml AM, Kallem RR, Tamura MK, Porter AC, Ricardo AC, Slaven A, Rosas SE, Townsend RR, Reese PP, Lash JP, Akkina S; CRIC Study Investigators. Health-related quality of life, depressive symptoms, and kidney transplant access in advanced CKD: findings from the Chronic Renal Insufficiency Cohort (CRIC) Study. *Kidney Med*. 2020 Aug 11;2(5):600-609
- ³⁰ Griva K, Davenport A, Harrison M, Newman SP. The impact of treatment transitions between dialysis and transplantation on illness cognitions and quality of life—a prospective study. *Br J Health Psychol*. 2012 Nov;17(4):812-27
- ³¹ Jain D, Haddad DB, Goel N. Choice of dialysis modality prior to kidney transplantation: does it matter? *World J Nephrol*. 2019 Jan 21;8(1):1-10
- ³² Scheuermann U, Rademacher S, Jahn N, Sucher E, Seehofer D, Sucher R, Hau HM. Impact of pre-transplant dialysis modality on the outcome and health-related quality of life of patients after simultaneous pancreas-kidney transplantation. *Health Qual Life Outcomes*. 2020 Sep 10;18(1):303
- ³³ Davis S, Mohan S. Managing patients with failing kidney allograft: many questions remain. *Clin J Am Soc Nephrol*. 2022 Mar;17(3):444-451
- ³⁴ Kochar GS, Langone AJ. How should we manage renal transplant patients with failed allografts who return to dialysis? *Blood Purif*. 2020;49(1-2):228-231
- ³⁵ Tantisattamo E, Hanna RM, Reddy UG, Ichii H, Dafoe DC, Danovitch GM, Kalantar-Zadeh K. Novel options for failing allograft in kidney transplanted patients to avoid or defer dialysis therapy. *Curr Opin Nephrol Hypertens*. 2020 Jan;29(1):80-91
- ³⁶ Bonani M, Achermann R, Seeger H, Scharfe M, Müller T, Schaub S, Binet I, Huynh-Do U, Dahdal S, Golshayan D, Hadaya K, Wüthrich RP, Fehr T, Segerer S. Dialysis after graft loss: a Swiss experience. *Nephrol Dial Transplant*. 2020 Dec 4;35(12):2182-2190
- ³⁷ Gómez-Dos-Santos V, Lorca-Álvaro J, Hevia-Palacios V, Fernández-Rodríguez AM, Diez-Nicolás V, Álvarez-Rodríguez S, Burgos JB, Guerrero CS, Burgos-Revilla FJ. The failing kidney

- transplant allograft. Transplant nephrectomy: current state-of-the-art. *Curr Urol Rep*. 2020 Jan 18;21(1):4
- ³⁸ Ghyselen L, Naesens M. Indications, risks and impact of failed allograft nephrectomy. *Transplant Rev (Orlando)*. 2019 Jan;33(1):48-54
- ³⁹ Hercz G. The trauma of dialysis initiation. *J Am Soc Nephrol*. 2017 Oct;28(10):2835-2837
- ⁴⁰ Centers for Disease Control and Prevention; National Center for Chronic Disease Prevention and Health Promotion. About Chronic Diseases. <https://www.cdc.gov/chronicdisease/about/index.htm>. Visited 5/6/2021
- ⁴¹ Brkovic T, Burilovic E, Puljak L. Prevalence and severity of pain in adult end-stage renal disease patients on chronic intermittent hemodialysis: a systematic review. *Patient Prefer Adherence*. 2016 Jun 23;10:1131-50
- ⁴² Shah A. "Let's talk about peritoneal dialysis" Post 3: Drain Pain...Ouch. December 2, 2018 <https://www.renalfellow.org/2018/12/02/lets-talk-about-peritoneal-dialysis-post-3-drain-pain-ouch/>
- ⁴³ Shah A. "Let's talk about peritoneal dialysis" Post 4: Not drain pain...but infusion pain. <https://www.renalfellow.org/2018/12/06/lets-talk-about-peritoneal-dialysis-post-4-not-drain-pain-but-infusion-pain/>. Visited Dec 6, 2018
- ⁴⁴ Schatell D. View from the bed: how to cope with PD cyclor pain. <https://homedialysis.org/news-and-research/blog/358-view-from-the-bed:-how-to-cope-with-pd-cyclor-pain>. Visited April 30,2020
- ⁴⁵ Jawed A, Moe SM, Moorthi RN, Torke AM, Eadon MT. Increasing nephrologist awareness of symptom burden in older hospitalized end-stage renal disease patients. *Am J Nephrol*. 2020;51(1):11-16

Chapter 15: A Chapter for Care Partners

- ¹ Roth DL, Sheehan OC, Haley WE, Jenny NS, Cushman M, Walston JD. Is family caregiving associated with inflammation or compromised immunity? A meta-analysis. *Gerontologist*. 2019 Sep 17;59(5):e521-e534
- ¹ Burns T, Fernandez R, Stephens M. The experiences of adults who are on dialysis and waiting for a renal transplant from a deceased donor: a systematic review. *JBI Database System Rev Implement Rep*. 2015 Mar 12;13(2):169-211
- ³ Silva AN, Moratelli L, Costa AB, Carminatti M, Bastos MG, Colugnati FA, Grincenkov FR, Sanders-Pinheiro H. Waiting for a kidney transplant: association with anxiety and stress. *Transplant Proc*. 2014 Jul-Aug;46(6):1695-7
- ⁴ National Kidney Foundation. Diet and transplantation. <https://www.kidney.org/atoz/content/nutritrans>. Visited 10/6/2021
- ⁵ Penn Medicine. Practicing food safety after transplant. <https://www.pennmedicine.org/updates/blogs/transplant-update/2018/july/practicing-food-safety-after-transplant>. Visited 10/6/2021
- ⁶ Van Pilsun Rasmussen SE, Eno A, Bowring MG, Lifshitz R, Garonzik-Wang JM, Al Ammary F, Brennan DC, Massie AB, Segev DL, Henderson ML. Kidney dyads: caregiver burden and

- relationship strain among partners of dialysis and transplant patients. *Transplant Direct*. 2020 Jun 8;6(7):e566
- ⁷ Sukul N, Mukhopadhyay P, Schaubel DE, Pearson J, Turenne M, Saran R, Robinson BM, Pisoni RL. Peritoneal dialysis and mortality, kidney transplant, and transition to hemodialysis: trends from 1996-2015 in the United States. *Kidney Med*. 2020 Aug 7;2(5):610-619.e1
- ⁸ Curtin RB, Mapes D, Petillo M, Oberley E. Long-term dialysis survivors: a transformational experience. *Qual Health Res*. 2002; May;12(5):609-624
- ⁹ Eneanya ND, Maddux DW, Reviriego-Mendoza MM, Larkin JW, Usvyat LA, van der Sande FM, Kooman JP, Maddux FW. Longitudinal patterns of health-related quality of life and dialysis modality: a national cohort study. *BMC Nephrol*. 2019 Jan 8;20(1):7
- ¹⁰ Lagasse J. FDA clears NxStage Medical's System One, allowing for solo home hemodialysis. *Mobile Health News*. Aug 28, 2017. <https://www.mobihealthnews.com/content/fda-clears-nxstage-medicals-system-one-allowing-solo-home-hemodialysis>. Visited 10/7/2021
- ¹¹ Tong A, Palmer S, Manns B, Craig JC, Ruospo M, Gargano L, Johnson DW, Hegbrant J, Olsson M, Fishbane S, Strippoli GF. The beliefs and expectations of patients and caregivers about home haemodialysis: an interview study. *BMJ Open*. 2013 Jan 24;3(1):e002148
- ¹² Rayner HC, Zepel L, Fuller DS, Morgenstern H, Karaboyas A, Culleton BF, Mapes DL, Lopes AA, Gillespie BW, Hasegawa T, Saran R, Tentori F, Hecking M, Pisoni RL, Robinson BM. Recovery time, quality of life, and mortality in hemodialysis patients: the Dialysis Outcomes and Practice Patterns Study (DOPPS). *Am J Kidney Dis*. 2014 Jul;64(1):86-94
- ¹³ Challenges faced by caregivers during the dying process. Harbor Light Hospice. April 20, 2017 <https://www.harborlighthospice.com/blog/dying-process/> Visited 10/7/2021

Chapter 16: How to Choose Where to Get Care

- ¹ Quality, Certification, and Oversight Reports, Active Provider and Supplier Counts Report. <https://qcor.cms.gov/main.jsp>. Visited 4/27/2023

Chapter 17: Planning for Disasters, Dialysis Problems and Hospital Stays

- ¹ Kidney Community Emergency Response. 3 day emergency diet plan. https://www.kcercoalition.com/contentassets/6270a03f0aef48ee8bb83100f04e37f2/ker-3-day-emergency-diet_final_508.pdf. Visited 5/18/2021
- ² Centers for Disease Control and Prevention. Infection control for peritoneal dialysis (PD) patients after a disaster. <https://www.cdc.gov/disasters/icfordialysis.html> Accessed 4/18/21
- ³ U.S. Food & Drug Administration. Food Facts. Food and water safety during power outages and floods. <https://www.fda.gov/media/72124/download>. Visited 6/1/2021
- ⁴ Centers for Disease Control and Prevention. Creating and storing an emergency water supply. <https://www.cdc.gov/healthywater/emergency/creating-storing-emergency-water-supply.html>. Visited 6/2/2021

- ⁵ Hathaway B. Estimates of preventable hospital deaths are too high, new study shows. <https://news.yale.edu/2020/01/28/estimates-preventable-hospital-deaths-are-too-high-new-study-shows>. Visited 6/3/2021
- ⁶ Moreiras-Plaza M, Blanco-García R, Beato-Coo L, Martín-Baez I, Fernández-Fleming F. Repairing and recovering broken peritoneal catheters. *Nefrologia*. 2014 Nov 17;34(6):732-6
- ⁷ Windpessl M, Prischl FC, Prenner A, Vychytil A. Managing hospitalized peritoneal dialysis patients: ten practical points for non-nephrologists. *Am J Med*. 2021 Jul;134(7):833-839
- ⁸ Greenberg KI, Choi MJ. Hemodialysis emergencies: core curriculum 2021. *Am J Kidney Dis*. 2021 May;77(5):796-809
- ⁹ Saha M, Allon M. Diagnosis, treatment, and prevention of hemodialysis emergencies. *Clin J Am Soc Nephrol*. 2017 Feb 7;12(2):357-369
- ¹⁰ Tennankore KK, d’Gama C, Faratro R, Fung S, Wong E, Chan CT. Adverse technical events in home hemodialysis. *Am J Kidney Dis*. 2015 Jan;65(1):116-21
- ¹¹ Chan DYF, Dobson S, Barber T. Hemodialysis taping styles and their effect on reducing the chance of venous needle dislodgement. *Semin Dial*. 2021 May;34(3):218-223
- ¹² Axley B, Speranza-Reid J, Williams H. Venous needle dislodgement in patients on hemodialysis. *Nephrol Nurs J*. 2012 Nov-Dec;39(6):435-45; quiz 446
- ¹³ Ball L, Holland J, Peters V, Poole L, Smith L. Vascular access. In *The Core Curriculum for the Dialysis Technician: a comprehensive review of hemodialysis*. 6th edition. 2018. Medical Education Institute, Inc.
- ¹⁴ Ball LK. Are YOU ready for a vascular access rupture? <https://homedialysis.org/news-and-research/blog/91-are-you-ready-for-a-vascular-access-rupture>. Visited 6/8/2021
- ¹⁵ Whitehill C. Put a lid on it. <https://www.kidneycareuk.org/about-kidney-health/treatments/dialysis/put-lid-on-it/>. Visited 6/8/2021
- ¹⁶ Goolsby C, Rojas LE, Andersen M, Charlton N, Tilley L, Pasley J, Rasmussen TE, Levy MJ. Potentially survivable fatal vascular access hemorrhage with tourniquet use: a post-mortem analysis. *J Am Coll Emerg Physicians Open*. 2020 Aug 17;1(6):1224-1229
- ¹⁷ Advanced Renal Education Program. Air embolism. <https://advancedrenaleducation.com/wp/parep/article/air-embolism/>. Visited 6/8/2021